

Laifual[®]



***Rotary
Actuator***

Low-voltage Series

User Manual

Preface

Thank you very much for using our low-voltage series products.

Incorrect operation and improper use of this product may lead to accidents and shorten the product's lifespan. To ensure long-term and safe use of this product, please read this manual carefully before use.

Our company reserves the right to change the contents of this manual without notice.

Company names and product names mentioned in this manual are generally registered trademarks or trademarks of their respective companies.

Please keep this manual properly. Make sure to deliver this manual to the end user.

Safety Precautions for Safe Use

To ensure the safe and correct use of this product, please read the "Safety Precautions for Safe Use" and the main text thoroughly before use, and fully understand the contents.

Symbol Explanation

The safety-related warnings provided here are important. Please be sure to follow them diligently.

 Warning	Indicates that incorrect operation may result in death or serious injury.
 Caution	Indicates that incorrect operation may result in injury or property damage.
Warning	Indicates measures that should be taken or avoided to prevent malfunction,

Usage Restrictions

This product is not recommended for the following applications. If necessary, please consult with our company in advance.

· Aerospace equipment	· Aircraft equipment	· Nuclear equipment	· Vacuum equipment
· Automotive equipment	· Gaming facilities	· Equipment directly affecting the human body	
· Household equipment and appliances	· Equipment intended for transporting people		
· Equipment for special environments			

Precautions for Using Actuators

● Usage Precautions

 <p>Caution</p>	<p>Use Only Within the Specified Operating Environment</p> <p>The actuator is designed for indoor use. Please follow the conditions below:</p> <p>Operating temperature:</p> <ul style="list-style-type: none">● -10 to 55°C (standard grease)● -30 to 55°C (low-temperature grease) <p>Storage temperature:</p> <ul style="list-style-type: none">● -20 to 80°C (standard grease)● -40 to 80°C (low-temperature grease) <ul style="list-style-type: none">● Ambient humidity: 20–80% RH (non-condensing)● Vibration: 25 m/s² or below Avoid exposure to water, oil, or similar liquids.● Ensure no corrosive or explosive gases are present. <p>Install the Actuator Using the Specified Methods</p> <ul style="list-style-type: none">● Follow the technical documentation to properly align the actuator with the driven mechanical components.● Any misalignment of the center axis may cause vibration or damage to the output shaft.
--	--

● Usage Precautions

 <p>Caution</p>	<p>Safety Precautions</p> <ul style="list-style-type: none">● Do not exceed the allowable torque.● Do not apply torque beyond the maximum rated torque.● Do not mount a robotic arm or any structure directly onto the output shaft.● Collisions or impact on the arm may result in loss of control of the output shaft.● Do not plug the actuator directly into a power outlet.● Without the dedicated driver, the actuator will not operate.● Directly connecting it to commercial AC power will damage the actuator and may cause a fire.● Do not strike or hit the actuator.
--	--

- Since the actuator is directly connected to the encoder, impacts from tools such as wooden hammers may damage the encoder.
- Encoder failure can lead to loss of control of the actuator.
- Do not pull or apply excessive force to the cables.
- Doing so may damage the connectors and result in actuator malfunction or loss of control.
- Precautions for Free-Running Operation (No Load)
- The joint can generate heat even when operating without load. If the module has not yet been installed in its intended structure, the lack of heat dissipation may cause the temperature to rise gradually until thermal protection is triggered. Please test with caution.
- Overheating under high-speed continuous free-running conditions does not indicate a module malfunction.
- Once properly installed, the module will dissipate heat normally, and no additional cooling components are required.
- Precautions Against Metal Chip Intrusion
- Before installation, thoroughly clean the mounting surfaces and ensure the working environment is free of metal chips. Common sources include:
 - Metal shavings produced during screw tightening or removal during robot installation
 - Burrs or chips from machining component mating surfaces
 - Copper wire fragments generated during cable assembly
- During installation and wiring, ensure that no metal chips fall into the electrical interface gaps on the rear cover of the joint (including CAN, EtherCAT, RS485, IO, multi-turn battery interface, power interface, and their respective openings).
- Also ensure no chips fall into the through-holes or the hollow shaft area (where the output-side encoder disk is installed). Otherwise, communication failures or electrical faults may occur.
- Do Not Connect or Disconnect the Power Cable While Energized
- Make sure the Power LED indicator is completely off before performing any wiring or inspection.
- Do Not Connect or Disconnect CAN or EtherCAT Cables While Energized
- When the master controller and the joint are not connected, the CAN_GND or EtherCAT_GND levels may differ.
- The instantaneous voltage difference when connecting the cables may damage the CAN or EtherCAT GND interface.

Note:

- The above “ hot-plugging “ conditions include plugging or unplugging cables

	while the device, joint, control card, or other relevant equipment is powered on.
--	---

Disposal Instructions

	<p>Please dispose of this product in accordance with industrial waste disposal standards.</p> <p>When discarding the product, disassemble it as much as possible. Components with material markings should be sorted according to their labels and disposed of following the appropriate industrial waste regulations.</p>
---	---

Caution

Content

Preface	I
Safety Precautions for Safe Use	II
Symbol Explanation	II
Usage Restrictions	II
Precautions for Using Actuators	III
Disposal Instructions	V
Chapter 1 Overview	1
Chapter 2 Model Naming Rules	2
Naming Rule	2
Module Parameters	3
Chapter 3 Input Power Specifications,Electrical Interfaces, and Cables	13
Power Specifications	13
Electrical Interfaces and Instructions	15
Chapter 4 Multi-Joint Connection Configuration	19
L70I-C	19
L70I-E	20
L80I-C	20
L80I-E	21
L90I-C	21
L90I-E	22
L110I-C	22
L110I-E	23
L142I-C	23
L142I-E	24
L170I-C	24
L170I-E	25
Chapter 5 Brake	26
Brake Precautions	26
Brake Lifetime	27
Forced Brake Release	27
Brake Power	27
Brake Drawing	28
Chapter 6 Encoder Specifications	31
Specifications	31

Output Shaft Resolution	31
Absolute Position Data Conversion	32
Multi-turn Encoder Backup Battery	32
Chapter 7 Environment and Installation	33
Operating Environment	33
Installation Steps	33
Discharge Module Description	34
Chapter 8 Debugging and Operation	40
Introduction	40
Installation	40
Hardware Connection Block Diagram	40
Steps to Connect to the firm ware	41
Chapter 9 JOG Test Run	42
The program JOG	42
Chapter 10 Key Parameter Verification and Rigidity Adjustment	44
Parameter confirmation	45
Rigidity Adjustment	48
Chapter 11 Firmware Upgrade and Initialization	51
Upgrade via RS-485 Firmware	51
Firmware Upgrade via J-LINK	55
Chapter 12 Communication:Configuration Example	61
Operation example with Beckhoff controller	61
Application Example Using Xinje Controller	75
Appendix 1 Module Dimension Drawing	84
L70I-C	84
L80I-C	85
L90I-C	85
L110I-C	86
L142I-C	86
L170I-C	87
Appendix 2 Parameters	88
Firmware Parameters	88
CANopen Alarm Code	96
EtherCAT Alarm Code	97
Appendix 3 Battery Safety Precautions	100
Appendix 4 Frequently Asked Questions (FAQ)	101
Chapter 13 Document Revision Record	102

Chapter 1 Overview

The low-voltage series comprises servo rotary modules that deliver high torque and precise rotational movements. These modules are composed of FHG-type reducers, motors, and encoders, available in models ranging from 70 to 170.

These products are widely used in the following fields: CNC machine tools, Laser processing, Electronics and semiconductors, Factory automation, Medical devices, Robotics, Logistics automation, Solar photovoltaic systems, LED equipment, Testing devices, Printing machinery, Precision measuring instruments, Aerospace equipment, Aircraft-related applications, FPD (Flat Panel Display) manufacturing equipment. Advantages:

Power Supply Voltage

- DC48V

Excellent Environmental Adaptability

- IP54 protection rating
- Compliance with neutral salt spray requirements

Operating temperature

- Standard grease: -10 to 55° C: 0~40 °C
- Low-temperature grease: -30 to 55° C

Storage Temperature:

- Standard grease: -20 to 80° C
- Low-temperature grease: -40 to 80° C
- Alternating damp heat

Highly Integrated Product Design


- Combines harmonic reducer, motor, encoder, and driver
- Extra-large hollow hole for easy wiring, piping, and laser routing
- Flange mounting structure

Outstanding Product Performance

- More than 20% torque increase in the same volume
- Excellent dynamic performance with very low noise and vibration
- Maintenance-free throughout the entire usage period
- Ultra-high product precision

Chapter 2 Model Naming Rules

Naming Rule



Rule Description:

① Joint module Type:

L:Low voltage

② Joint mounting Outer Diameter:

70: Joint 70	80: Joint 80	90: Joint 90
110: Joint 110	142: Joint 142	170: Joint 170

③ Module structure:

I:Low voltage I joint (Dual encoder, built-in driver with brake)	T:Low voltage T joint (Dual encoder, built-in driver with brake)
--	--

④ Communication Protocol:

C:CANopen	E: EtherCAT
-----------	-------------

⑤ Ratio:

030: 31:1	050: 51:1	080: 81:1
100: 101:1	120: 121:1	160: 161:1

⑥ Brake:

B : With Brake	F : Without Brake
----------------	-------------------

⑦ Cable outlet type:

F: End-face cable exit

⑧ Customer and Serial number:

XXXX: Customised products only

Module Parameters

The performance specifications of the low-voltage series modules are as follows:

Model		L70I		
Reduction Ratio		51	81	101
Input Voltage	V	48 (±10%)		
Maximum Torque	N·m	46	61	70
	kgf·m	4.69	6.22	7.14
Permissible Continuous Torque	N·m	9	14	14
	kgf·m	0.92	1.43	1.43
Peak Starting Torque	N·m	23	30	36
	kgf·m	2.35	3.06	3.67
Maximum Speed	r/min	107.8	67.9	54.5
Rated Speed	r/min	58.8	37.0	29.7
Torque Constant	N·m/A	0.08	0.08	0.08
	kgf·m/A	0.0082	0.0082	0.0082
Maximum Current	A	8.25	6.77	6.52
Permissible Continuous Current	A	3.23	3.16	2.53
Back EMF Constant	V/Krpm	6.15		
Phase Resistance(20))	Ω	0.39		
Phase Inductance	mH	0.3		
Moment of	GD ² /4	kg·mm ²	37.6	

Inertia	J	kgf · cm · s ²	37.6*10 ⁻⁴		
Repeatability*1		Arc-sec	20		
Positioning Accuracy*2		Arc-sec	60		
Bus Communication Protocol		/	Canopen/EtherCAT		
Encoder Resolution	Single-turn Detector		17bit (131072pulses per revolution)		
	Multi-turn Detector		16bit (-32768~32767turns)		
Output Shaft Resolution		Pulses per Revolution	6684672	10616832	13238272
Mass		kg	1.0KG		
Ambient Conditions			<p>Operating Temperature:Standard grease: -10 to 55° C; Low-temperature grease: -30 to 55° C Storage Temperature:Standard grease: -20 to 80° C Low-temperature grease: -40 to 80° C Operating/Storage Humidity: 20 - 80% RH (non-condensing) Vibration Resistance: 25m/s²(Frequency: 10~400Hz) Shock Resistance: 300m/s² No dust, metal powder, corrosive gases, flammable gases, or oil mist Indoor use, avoid direct sunlight Altitude below 1000m</p>		
Design Life (H)			10000		
Motor Insulation			<p>Insulation Resistance: Above 500 M Ω Withstand Voltage: AC1500 V / 1 min Insulation Class : Class F (155 °C)</p>		
Installation Direction			Can be installed in all directions		
Protection Level			Totally enclosed, self-cooling type (IP54)		

Model		L80I			
Reduction Ratio		51	81	101	121
Input Voltage	V	48 (±10%)			
Maximum Torque	N • m	91	113	143	112
	kgf • m	9.29	11.53	14.59	11.43
Permissible Continuous Torque	N • m	34	35	51	51
	kgf • m	3.47	3.57	5.20	5.20
Peak Starting Torque	N • m	44	56	70	70
	kgf • m	4.49	5.71	7.14	7.14
Maximum Speed	r/min	98.04	61.73	49.50	41.32
Rated Speed	r/min	58.82	37.04	29.70	24.79
Torque Constant	N • m/A	0.09	0.09	0.09	0.09
	kgf • m/A	0.0092	0.0092	0.0092	0.0092
Maximum Current	A	13.48	10.80	10.83	9.04
Permissible Continuous Current	A	10.42	6.75	7.89	6.59
Back EMF Constant	V/Krpm	6.67			
Phase Resistance(20)	Ω	0.14			
Phase Inductance	mH	0.3			
Moment of Inertia	GD ² /4	kg • mm ²	58		
	J	kgf • cm • s ²	58*10 ⁻⁴		
Repeatability*1	Arc-sec	20			
Positioning Accuracy*2	Arc-sec	60			
Bus Communication Protocol	/	Canopen/Ethercat			
Encoder Resolution	Single-turn Detector	17bit (1310722 pulses per revolution)			
	Multi-turn Detector	16bit (-32768~32767turns)			
Output Shaft Resolution	Pulses per Revolution	6684672	10616832	13238272	15859712
Mass	kg	1.6KG			

Ambient Conditions	<p>Operating Temperature: Standard grease: -10 to 55° C; Low-temperature grease: -30 to 55° C</p> <p>Storage Temperature: Standard grease: -20 to 80° C Low-temperature grease: -40 to 80° C</p> <p>Operating/Storage Humidity: 20 -80% RH (non-condensing)</p> <p>Vibration Resistance: 25m/s²(Frequency: 10~400Hz)</p> <p>Shock Resistance: 300 m/s²</p> <p>No dust, metal powder, corrosive gases, flammable gases, or oil mist</p> <p>Indoor use, avoid direct sunlight</p> <p>Altitude below 1000m</p>
Design Life (H)	10000
Motor Insulation	<p>Insulation Resistance: Above 500 M Ω</p> <p>Withstand Voltage: AC1500 V / 1 min</p> <p>Insulation Class: Class F (155° C)</p>
Installation Direction	Can be installed in all directions
Protection Level	Totally enclosed, self-cooling type (IP54)

Model		L90I			
Reduction Ratio		51	81	101	121
Input Voltage	V	48 (±10%)			
Maximum Torque	N · m	127	165	191	191
	kgf · m	12.96	16.84	19.49	19.49
Permissible Continuous Torque	N · m	44	61	64	64
	kgf · m	4.49	6.22	6.53	6.53
Peak Starting Torque	N · m	73	96	107	113
	kgf · m	7.45	9.80	10.92	11.53
Maximum Speed	r/min	78.4	49.4	39.6	33.1
Rated Speed	r/min	58.8	37.0	29.7	24.8
Torque Constant	N · m/A	0.10	0.11	0.11	0.11
	kgf · m/A	0.0112	0.0112	0.0112	0.0112
Maximum Current	A	19.59	15.15	13.54	11.94
Permissible Continuous Current	A	11.81	9.63	8.10	6.76
Back EMF Constant	V/Krpm	6.78			
Phase Resistance(20)	Ω	0.11			

Phase Inductance		mH	0.24			
Moment of Inertia	GD ² /4	kg • mm ²	106.3			
	J	kgf • cm • s ²	106.3*10 ⁻⁴			
Repeatability ^{*1}		Arc-sec	20			
Positioning Accuracy ^{*2}		Arc-sec	60			
Bus Communication Protocol		/	Canopen/Ethercat			
Encoder Resolution		Single-turn Detector	17bit (131072 pulses per revolution)			
		Multi-turn Detector	16bit (-32768~32767turns)			
Output Shaft Resolution		Pulses per Revolution	6684672	10616832	13238272	15859712
Mass		kg	2KG			
Ambient Conditions		<p>Operating Temperature:Standard grease: -10 to 55° C; Low-temperature grease: -30 to 55° C</p> <p>Storage Temperature:Standard grease: -20 to 80° C Low-temperature grease: -40 to 80° C</p> <p>Operating/Storage Humidity: 20 -80% RH (non-condensing)</p> <p>Vibration Resistance: 25m/s²(Frequency: 10~400Hz)</p> <p>Shock Resistance: 300 m/s²</p> <p>No dust, metal powder, corrosive gases, flammable gases, or oil mist</p> <p>Indoor use, avoid direct sunlight</p> <p>Altitude below 1000 m</p>				
Design Life (H)		10000				
Motor Insulation		<p>Insulation Resistance: Above 500 MΩ</p> <p>Withstand Voltage: AC1500 V / 1 min</p> <p>Insulation Class: Class F (155° C)</p>				
Installation Direction		Can be installed in all directions				
Protection Level		Totally enclosed, self-cooling type (IP54)				

Model		L110I			
Reduction Ratio		51	81	101	121
Input Voltage	V	48 (±10%)			
Maximum Torque	N • m	242	332	369	395
	kgf • m	24.69	33.88	37.65	40.31
Permissible	N • m	72	113	140	140

Continuous Torque		kgf · m	7.35	11.53	14.29	14.29
Peak Starting Torque		N · m	127	178	204	217
		kgf · m	12.96	18.16	20.82	22.14
Maximum Speed		r/min	78.4	49.4	39.6	33.1
Rated Speed		r/min	58.8	37.0	29.7	24.8
Torque Constant		N · m/A	0.11	0.11	0.11	0.11
		kgf · m/A	0.0112	0.0112	0.0112	0.0112
Maximum Current		A	32.42	28.61	26.30	23.35
Permissible Continuous Current		A	18.38	18.16	18.05	15.07
Back EMF Constant		V/Krpm	6.88			
Phase Resistance(20))		Ω	0.033			
Phase Inductance		mH	0.11			
Moment of Inertia	GD ² /4	kg · mm ²	201			
	J	kgf · cm · s ²	201*10 ⁻⁴			
Repeatability ^{*1}		Arc-sec	20			
Positioning Accuracy ^{*2}		Arc-sec	60			
Bus Communication Protocol		/	Canopen/Ethercat			
Encoder Resolution		Single-turn Detector	17bit (131072 pulses per revolution)			
		Multi-turn Detector	16bit (-32768~32767turns)			
Output Shaft Resolution		Pulses per Revolution	6684672	10616832	13238272	15859712
Mass		kg	3.1KG			
Ambient Conditions		<p>Operating Temperature:Standard grease: -10 to 55° C; Low-temperature grease: -30 to 55° C</p> <p>Storage Temperature:Standard grease: -20 to 80° C Low-temperature grease: -40 to 80° C</p> <p>Operating/Storage Humidity: 20 -80% RH (non-condensing)</p> <p>Vibration Resistance: 25m/s²(Frequency: 10~400Hz)</p> <p>Shock Resistance: 300 m/s²</p> <p>No dust, metal powder, corrosive gases, flammable gases, or oil mist</p> <p>Indoor use, avoid direct sunlight</p> <p>Altitude below 1000 m</p>				
Design Life (H)		10000				

Motor Insulation	Insulation Resistance: Above 500 M Ω Withstand Voltage: AC1500 V / 1 min Insulation Class: Class F (155 °C)
Installation Direction	Can be installed in all directions
Protection Level	Totally enclosed, self-cooling type (IP54)


Model		L142I			
Reduction Ratio		51	81	101	121
Input Voltage	V	48 ($\pm 10\%$)			
Maximum Torque	N \cdot m	497	738	841	892
	kgf \cdot m	50.71	75.31	85.82	91.02
Permissible Continuous Torque	N \cdot m	140	217	281	281
	kgf \cdot m	14.29	22.14	28.67	28.67
Peak Starting Torque	N \cdot m	281	395	433	459
	kgf \cdot m	28.67	40.31	44.18	46.84
Maximum Speed	r/min	58.8	37.0	29.7	24.8
Rated Speed	r/min	39.2	24.7	19.8	16.5
Torque Constant	N \cdot m/A	0.17	0.17	0.17	0.17
	kgf \cdot m/A	0.0173	0.0173	0.0173	0.0173
Maximum Current	A	38.93	34.45	30.29	26.80
Permissible Continuous Current	A	19.40	18.93	19.66	16.41
Back EMF Constant	V/Krpm	11.2			
Phase Resistance(20)	Ω	0.036			
Phase Inductance	mH	0.12			
Moment of Inertia	GD ² /4	kg \cdot mm ²	625		
	J	kgf \cdot cm \cdot s ²	625*10 ⁻⁴		
Repeatability ^{*1}	Arc-sec	20			
Positioning Accuracy ^{*2}	Arc-sec	60			
Bus Communication Protocol	/	Canopen/Ethercat			
Encoder Resolution	Single-turn Detector	17bit (131072 pulses per revolution)			
	Multi-turn Detector	16bit ($\sim 32768 \sim 32767$ turns)			
Output Shaft Resolution	Pulses per Revolution	6684672	10616832	13238272	15859712

Mass	kg	5.3KG
Ambient Conditions		<p>Operating Temperature: Standard grease: -10 to 55° C; Low-temperature grease: -30 to 55° C</p> <p>Storage Temperature: Standard grease: -20 to 80° C Low-temperature grease: -40 to 80° C</p> <p>Operating/Storage Humidity: 20 -80% RH (non-condensing)</p> <p>Vibration Resistance: 25m/s²(Frequency: 10~400Hz) Shock Resistance: 300 m/s²</p> <p>No dust, metal powder, corrosive gases, flammable gases, or oil mist</p> <p>Indoor use, avoid direct sunlight</p> <p>Altitude below 1000 m</p>
Design Life (H)		10000
Motor Insulation		<p>Insulation Resistance: Above 500 MΩ</p> <p>Withstand Voltage: AC1500 V / 1 min</p> <p>Insulation Class: Class F (155°C)</p>
Installation Direction		Can be installed in all directions
Protection Level		Totally enclosed, self-cooling type (IP54)

Model		L170I			
Reduction Ratio		51	81	101	121
Input Voltage	V	48 (±10%)			
Maximum Torque	N • m	892	1270	1400	1530
	kgf • m	91.02	129.59	142.86	156.12
Permissible Continuous Torque	N • m	225	369	484	586
	kgf • m	22.96	37.65	49.39	59.80
Peak Starting Torque	N • m	523	675	738	802
	kgf • m	53.37	68.88	75.31	81.84
Maximum Speed	r/min	49.0	30.9	24.8	20.7
Rated Speed	r/min	39.2	24.7	19.8	16.5
Torque Constant	N • m/A	0.17	0.17	0.17	0.17
	kgf • m/A	0.0173	0.0173	0.0173	0.0173
Maximum Current	A	84.01	68.27	59.86	54.30
Permissible Continuous Current	A	40.96	37.32	39.26	39.67
Back EMF Constant	V/Krpm	11.56			

Phase Resistance (20)		Ω	0.014			
Phase Inductance		mH	0.067			
Moment of Inertia	GD ² /4	kg • mm ²	/			
	J	kgf • cm • s ²	/			
Repeatability*1		Arc-sec	20			
Positioning Accuracy*2		Arc-sec	60			
Bus Communication Protocol		/	Canopen/Ethercat			
Encoder Resolution		Single-turn Detector	17bit (131072pulses per revolution)			
		Multi-turn Detector	16bit (-32768~32767 turns)			
Output Shaft Resolution		Pulses per Revolution	6684672	10616832	13238272	15859712
Mass		kg	9.48kg			
Ambient Conditions		<p>Operating Temperature: Standard grease: -10 to 55° C; Low-temperature grease: -30 to 55° C Storage Temperature: Standard grease: -20 to 80° C Low-temperature grease: -40 to 80° C</p> <p>Operating/Storage Humidity: 20 ~80% RH (non-condensing) Vibration Resistance: 25m/s²(Frequency: 10~400Hz) Shock Resistance: 300 m/s²</p> <p>No dust, metal powder, corrosive gases, flammable gases, or oil mist Indoor use, avoid direct sunlight Altitude below 1000m</p>				
Design Life (H)		10000				
Motor Insulation		Insulation Resistance: Above 500 M Ω Withstand Voltage: AC1500 V / 1 min Insulation Class: Class F (155 °C)				
Installation Direction		Can be installed in all directions				
Protection Level		Totally enclosed, self-cooling type (IP54)				

*1 Repeatability: Refers to the precision with which the output shaft can return to a specific position after performing seven repeated positioning operations from the same direction. This measurement is taken at four different positions on the output shaft, and the maximum difference among these positions is calculated.



*2Positioning Accuracy: Refers to the precision of positioning in a fixed rotational direction. At each position, the difference between the actual rotational angle and the intended rotational angle relative to a reference position is calculated. The maximum value of these differences within one full rotation is then recorded.

Chapter 3 Input Power Specifications, Electrical Interfaces, and Cables

Power Specifications

1.48V power supply interface

Pin	Terminal Label	Terminal function
1	DC+	Positive Power Supply
2	DC-	Negative terminal of Power Supply



Pin position	Connector
Connector Information	Wiring Terminal Information
<p>Model: XT30UPB-M</p>	<p>Brands: ams</p> <p>Model: XT30U-F</p>
<p>Specifications: Straight legs, leg spacing 5mm, leg length 2mm, 2-Pin</p>	<p>Specifications: foot spacing 5mm 2Pin</p>

2. Multi-turn power supply battery interface

Pin	Terminal Label	Terminal function
1	BAT+	Multi-turn encoder backup battery positive terminal
2	BAT-	Multi-turn encoder backup battery negative terminal
Pin Position		Connector
 <p>D1:BAT+ D2:BAT-</p>		
Connector information		Wiring terminal information
Model:BM02B-GHS-TBT		Brand:JST Housing model:GHR-02V-S Terminal model:SSHL-002T-P0.2
Specifications:Single row,1.25mm spacing,2 pins		Specifications:JST single-ended terminal block,1.25mm pitch,2 pins

Electrical Interfaces and Instructions

1. CAN communication interface

Pin	Terminal label	Terminal function
1	CAN_H	CAN bus high
2	CAN_GND	CAN bus ground
3	CAN_L	CAN bus low
Pin Position		Connector
		
Connector information		Wiring terminal information
Model:BM03B-GHS-TBT		Brand:JST Housing model:GHR-03V-S Terminal model:SSHLL-002T-P0.2 (or equivalent)
Specifications:Single row,1.25mm spacing,3 pins		Specifications:JST single-ended terminal block,1.25mm pitch,3-pin

2. EtherCAT communication interface

		ECAT In		ECAT Out	
Pin	Terminal markings	Terminal function	Terminal markings	Terminal function	Terminal function
1	E I_T X -	EtherCAT Input Send -	E O_T X -	EtherCAT output transmission -	
2	E I_T X +	EtherCAT input send +	E O_T X +	EtherCAT output transmission +	
3	E I_R X -	EtherCAT input reception -	E O_R X -	EtherCAT output and reception -	
4	E I_R X +	EtherCAT input receiver +	E O_R X +	EtherCAT output and reception +	
Pin Position		Terminal blocks			
<p>G1:EO_RX+ G2:EO_RX- G3:EO_TX+ G4:EO_TX- F1:EI_RX+ F2:EI_RX- F3:EI_TX+ F4:EI_TX-</p>		<p>TX- TX+ RX- RX+</p>			
Connector information		Wiring terminal information			
Model: BM04B-GHS-TBT		Brand: JST Housing model: GHR-04V-S Terminal model: SSSL-002T-P0.2			
Specifications: Singlerow.1.25mm spacing.4pins		Specifications: JST single-ended terminal, pitch 1.25mm, 4-Pin			

3.485 communication interface

Pin	Terminal Label	Terminal Function
1	RS485_A	RS485 bus A end
2	RS485_GND	RS485 bus ground
3	RS485_B	RS485 bus B end
Pin Position		Terminal blocks
		
Connector information		Wiring terminal information
<p>Model: BM03B-GHS-TBT</p>		<p>Brand: JST</p> <p>Housing model: GHR-03V-S</p> <p>Terminal model: SSLH-002T-P0.2</p> <p>(or equivalent specifications)</p>
<p>Specifications: Singlerow.1.25mm spacing.3pins</p>		<p>Specifications: JST single-ended terminal, pitch 1.25mm, 3-Pin</p>

4.. Cable Specification

The specifications for the selection of various signal interface cables for the joint are detailed in the table.

Module Number	Signal interface	Number of lines	Applicable wire specifications		Wiring clearance (mm)
			Cross-sectional Area (mm ²)	AWG#	
Full Series	CAN communication interfaces: CAN(A)CAN(B)	3P*2	0.05~0.13	30~26	10
	EtherCAT communication interfaces:EI,EO	4P*2	0.05~0.13	30~26	10
	Multi-turn power supply battery interface:BAT	2P*1	0.05~0.13	30~26	10
L70	48V power supply interface:DC in	2P*2	0.5	20	15
L80		2P*2	0.75	19	15
L90		2P*2	1.0	18	15
L110		2P*2	1.25	17	15
L142		2P*2	1.5	16	15
L170		2P*2	1.5	16	15

Chapter 4 Multi-Joint Connection Configuration

L701-C

Technical Requirements:

1. Insulation Resistance (DC500V) > 500MΩ ; Insulation Withstand Voltage: AC1500V (1 minute); Less than 5mA
2. Motor-side Encoder Resolution: 12-bit multi-turn, 12-bit single-turn; Solenoid-side Encoder Resolution: 17-bit single-turn;
3. Bus Protocol: CANopen;
4. Appearance: No visible burrs, scratches, dents, or other defects;
5. Operating Temperature: -25~55°C;
6. Positioning Accuracy: 0.01mm (single directional); Repeatability: 0.02mm (single directional).

Sign

Pin No.	Signal Name	Remarks
A1/B1	VDD5V	Bus Power Input/Output Positive
A2/B2	VDD5V	Bus Power Input/Output Negative
B1	BAC+	Multi-turn Encoder Backlash Signal Positive
B2	BAC-	Multi-turn Encoder Backlash Signal Negative
F1/G1	CAN_H	Can Bus High
F2/G2	CAN_GND	Can Bus Ground
F3/G3	CAN_L	Can Bus Low
J1/K1	RS485_A	RS485 Bus A Terminal
J2/K2	RS485_GND	RS485 Bus Ground
J3/K3	RS485_B	RS485 Bus B Terminal

Module Data										
Part No.	Rated Output (Nm)	Rated Speed (rpm)	Rated Torque (Nm)	Rated Speed (rpm)	Rated Torque (Nm)	Rated Current (A)	Max. Current (A)	Range (mm/min)	Insulation Resistance (MΩ)	Weight (kg)
01	0.5	0.3	0.08	200.0	0.07.0	0.03	0.25	2.70	81.2	1.01
02	1.0	0.3	0.1	100.0	0.10.0	0.10	0.30	4.00		
03	1.5	0.3	0.15	70.0	0.15.0	0.15	0.30	5.00		

Rotary actuator

L701-C-XXX-000-001

GJ-08-02-0001

浙江 乐清 德邦电机有限公司

客户服务热线: 400-888-8888

1:1

浙江 乐清 德邦电机有限公司

L70I-E

Technical Requirements:

- Insulation Resistance (DC 50V) > 500MΩ; Insulation with tested voltage AC 500V (1 minute), less than 5mA.
- Motor-side encoder resolution: 16-bit multi-turn, 12-bit single-turn.
- Encoder resolution at receive end: 17-bit single-turn.
- Bus protocol: EtherCAT.
- Appearance without obvious burrs, scratches, dents and other defects.
- Operating temperature: -20°C.
- Positioning Accuracy: absolute unidirectional, repeatability: ±0.05 sec.

Ratio	Rated Torque (Nm)	Rated Speed (rpm)	Max. Speed (rpm)	Rated Current (A)	Max. Current (A)	T _g Constant (Nm/A)	Weight (kg)
10	4	20	140	0.075	0.23	0.22	1.78
15	14	30	45	0.1	0.35	0.77	3.40
100	14	30	30	0.3	0.50	0.30	5.00

Pin No.	Signal Name	Remarks
A1/B1	VDS+	VDS+ Bus Power Input Output Positive Terminal
A2/B2	VDS-	VDS- Bus Power Input/Output Negative Terminal
B1	BAT+	BAT+ Back-up Battery Positive Terminal
B2	BAT-	BAT- Back-up Battery Negative Terminal
F1	DI_12V+	DI_12V+ EtherCAT Input Positive Terminal
F2	DI_12V-	DI_12V- EtherCAT Input Negative Terminal
K1	DI_15V+	DI_15V+ EtherCAT Input Positive Terminal
K2	DI_15V-	DI_15V- EtherCAT Input Negative Terminal
G1	DO_12V+	DO_12V+ EtherCAT Output Positive Terminal
G2	DO_12V-	DO_12V- EtherCAT Output Negative Terminal
J1/K1	RS485_A	RS485_A RS485 (A) Terminal
J2/K2	RS485_B	RS485_B RS485 (B) Terminal
L1/L1	RS485_B	RS485_B RS485 (B) Terminal

Rotary actuator: L70I-E-XXX-00-001
GJ-09-ME-0007

L80I-C

Technical Requirements:

- Insulation Resistance (DC 50V) > 500MΩ; Insulation with tested voltage AC 500V (1 minute), less than 5mA.
- Motor-side Encoder Resolution: 16-bit multi-turn, 12-bit single-turn.
- Encoder resolution at receive end: 17-bit single-turn.
- Bus protocol: EtherCAT.
- Appearance without obvious burrs, scratches, dents and other defects.
- Operating temperature: -20°C.
- Positioning Accuracy: absolute unidirectional, repeatability: ±0.05 sec.

Ratio	Rated Torque (Nm)	Rated Speed (rpm)	Max. Speed (rpm)	Rated Current (A)	Max. Current (A)	T _g Constant (Nm/A)	Weight (kg)
10	14	30	140	0.075	0.23	0.22	1.78
15	30	30	110	0.1	0.35	0.77	3.40
100	14	30	140	0.3	0.50	0.30	5.00
140	51	30	110	0.5	0.50	0.30	7.78

Pin No.	Signal Name	Remarks
A1/B1	VDS+	Bus Power Input/Output Positive
A2/B2	VDS-	Bus Power Input/Output Negative
B1	BAT+	Back-up Battery Positive
B2	BAT-	Back-up Battery Negative
F1/F1	DI_12V+	DI_12V+ High
F2/F2	DI_12V-	DI_12V- Ground
F3/F3	DI_15V+	DI_15V+ High
F4/F4	DI_15V-	DI_15V- Ground
J1/K1	RS485_A	RS485 (A) Terminal
J2/K2	RS485_B	RS485 (B) Terminal
J3/K3	RS485_B	RS485 (B) Terminal

Rotary actuator: L80I-C-1XX-00-C00
GJ-09-ME-0009

L80I-E

Sign

Pin No.	Signal Name	Remarks
A1/B1	VIBS+	VIBUS Bus Power Input/Output Positive Terminal
A2/B2	VIBS-	VIBUS Bus Power Input/Output Negative Terminal
01	01+	RS485/Modbus Encoder Back-up Battery Positive Terminal
02	02-	RS485/Modbus Encoder Back-up Battery Negative Terminal
01	01_0V	E1_0V-FiberCAT Output Back-up Positive Terminal
02	02_0V	E1_0V-FiberCAT Output Back-up Negative Terminal
03	03_0V	E1_0V-FiberCAT Output Back-up Positive Terminal
04	04_0V	E1_0V-FiberCAT Output Back-up Negative Terminal
05	05_0V	E1_0V-FiberCAT Output Back-up Positive Terminal
06	06_0V	E1_0V-FiberCAT Output Back-up Negative Terminal
07	07_0V	E1_0V-FiberCAT Output Back-up Positive Terminal
08	08_0V	E1_0V-FiberCAT Output Back-up Negative Terminal
09	09_0V	E1_0V-FiberCAT Output Back-up Positive Terminal
10	10_0V	E1_0V-FiberCAT Output Back-up Negative Terminal
11/01	RS485_A	RS485_A RS485 Bus A Terminal
12/02	RS485_GND	RS485_GND RS485 Bus A Terminal
13/03	RS485_B	RS485_B RS485 Bus B Terminal

Technical requirements:
 1. Insulation resistance (DC500V) > 500MΩ; insulation withstand voltage AC500V (1 minute), less than 5mA;
 2. Motor-side encoder resolution: 16-bit multi-turn, 17-bit single-turn;
 Encoder resolution of vehicle wheel: 17-bit single-turn;
 3. Bus protocol: EtherCAT;
 4. Appearance: without obvious burrs, scratches, bumps and other defects;
 5. Operating temperature: -25~55;
 6. Unidirectional positioning accuracy: 0.04mm; repeatability positioning accuracy: 0.01mm.

Module Data										Rotary Actuator									
Ratio	Rated Output (Nm)	Rated Torque (Nm)	Rated Speed (rpm)	Rated Current (mA)	Max Current (mA)	Tip Current (mA)	Tip Voltage (V)	Weight (kg)	IP	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9	Pin 10
10	4.1	5.5	30	55.8	58	10.12	12.00	3.25	IP67	1	2	3	4	5	6	7	8	9	10
20	8.1	10.8	15	111.7	115	10.12	12.00	3.25		11	12	13	14	15	16	17	18	19	20
40	16.1	21.6	7.5	223.4	230	10.12	12.00	3.25		21	22	23	24	25	26	27	28	29	30
100	40.1	54.0	3.0	558.5	575	10.12	12.00	3.25		31	32	33	34	35	36	37	38	39	40

L90I-C

Sign

Pin No.	Signal Name	Remarks
A1/B1	VIBS+	Bus Power Input/Output Positive
A2/B2	VIBS-	Bus Power Input/Output Negative
01	01+	Multi-turn Encoder Back-up Battery Positive
02	02-	Multi-turn Encoder Back-up Battery Negative
01/03	CAN_H	Can Bus High
02/02	CAN_L	Can Bus Ground
03/03	CAN_L	Can Bus Low
01/01	RS485_A	RS485 Bus A Terminal
02/02	RS485_GND	RS485 Bus Ground
03/03	RS485_B	RS485 Bus B Terminal

Technical requirements:
 1. Insulation resistance (DC500V) > 500MΩ; insulation withstand voltage AC500V (1 minute), less than 5mA;
 2. Motor-side Encoder resolution: 17-bit multi-turn, 17-bit single-turn;
 Encoder resolution of vehicle wheel: 17-bit single-turn;
 3. Bus protocol: CANopen;
 4. Appearance: no visible burrs, scratches, dents, or other defects;
 5. Operating temperature: -25~55°C;
 6. Positioning accuracy: 50 μm, unidirectional; repeatability: 20 μm, unidirectional.

Module Data										Rotary actuator									
Ratio	Rated Output (Nm)	Rated Torque (Nm)	Rated Speed (rpm)	Rated Current (mA)	Max Current (mA)	Tip Current (mA)	Tip Voltage (V)	Weight (kg)	IP	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9	Pin 10
10	4.1	5.5	30	55.8	58	10.12	12.00	3.25	IP67	1	2	3	4	5	6	7	8	9	10
20	8.1	10.8	15	111.7	115	10.12	12.00	3.25		11	12	13	14	15	16	17	18	19	20
40	16.1	21.6	7.5	223.4	230	10.12	12.00	3.25		21	22	23	24	25	26	27	28	29	30
100	40.1	54.0	3.0	558.5	575	10.12	12.00	3.25		31	32	33	34	35	36	37	38	39	40

L90I-E

Sign

Module Signal Definition		
Pin/NO	Signal Name	Remarks
A1/B1	VDD+	5V/3.3V Power Input (Output Positive Terminal)
A2/B2	VDD-	5V/3.3V Power Input (Output Negative Terminal)
D1	RD+	RA 1388 Rotary Encoder Red Output (Positive Terminal)
D2	RD-	RA 1388 Rotary Encoder Red Output (Negative Terminal)
F1	RD_3V3+	3.3V/3.0V/2.5V Output (Positive Terminal)
F2	RD_3V3-	3.3V/3.0V/2.5V Output (Negative Terminal)
F3	RD_3V3+	3.3V/3.0V/2.5V Output (Positive Terminal)
G1	RD_3V3-	3.3V/3.0V/2.5V Output (Negative Terminal)
G2	RD_3V3+	3.3V/3.0V/2.5V Output (Positive Terminal)
G3	RD_3V3-	3.3V/3.0V/2.5V Output (Negative Terminal)
H1/K1	RS485_A	RS485_A (RS485 Data A Terminal)
H2/K2	RS485_GND	RS485_GND (RS485 Data A Ground)
H3/K3	RS485_B	RS485_B (RS485 Data B Terminal)

Technical Requirements:
 1. Insulation resistance (DC 500V) > 500MΩ, Insulation withstand voltage AC500V (1 minute), less than 5mA;
 2. Motor side encoder resolution: 1-bit multi-turn, 17-bit single-turn;
 Encoder resolution: 17-bit single-turn;
 3. Bus protocol: I2C/CAN;
 4. Appearance: without obvious burrs, scratches, bumps and other defects;
 5. Operating temperature: -25~55;
 6. Undirectional positioning accuracy: 60K/rev, repeat positioning accuracy: 20Ar/rev.

Module Data										Rotary actuator	
Ratio	Rated Torque (N.m)	Permissible peak torque (N.m)	Rated Speed (rpm)	Max Speed (rpm)	Rated Current (mA)	Max Current (mA)	IP2 Protection	Encoder Resolution	Weight (g)	1901-E-XXX-0F-000	
B1	41	73	127	36.4	20.1	17.31	10.00	1771	1.10	G1-D8-ME-0003	
B2	61	96	163	47.3	26.4	22.60	15.15	1771	1.10	G1-D8-ME-0003	
B3	81	120	191	59.7	33.8	28.10	18.41	1771	1.10	G1-D8-ME-0003	
B4	111	158	249	75.4	43.1	36.10	23.40	1771	1.10	G1-D8-ME-0003	

L110I-C

Sign


Module Signal Definition			
Pin No.	Lead	Signal Name	Remarks
A/B	1	DC+	Power Positive
	2	DC-	Power Negative
	3	CANL	-
D/E	2	GND	EAN GND
	3	CANH	-
	5	ANSL	-
F/G	2	GND	IBT Signal GND
	3	ANSH	-
I	3	BAT+	Battery Positive
	2	BAT-	Battery Negative

Technical Requirements:
 1. Insulation Resistance (DC 500V) > 500MΩ, Insulation Withstand Voltage: AC500V (1 minute), Less than 5mA;
 2. Motor-side Encoder Resolution: 18-bit multi-turn, 17-bit single-turn;
 3. Bus Protocol: CAN/RS485;
 4. Appearance: No visible burrs, scratches, dents, or other defects;
 5. Operating Temperature: -25~55°C;
 6. Positioning Accuracy: 60 arc seconds unidirectional, Repeatable by: 20 arc seconds.

Module Data										Rotary actuator	
Ratio	Rated Torque (N.m)	Permissible peak torque (N.m)	Rated Speed (rpm)	Max Speed (rpm)	Rated Current (mA)	Max Current (mA)	IP2 Protection	Encoder Resolution	Weight (g)	L110I-C-XXX-0F-AD1	
B1	22	37	112	33.5	18.4	15.30	12.42	1771	1.10	G1-D8-ME-0004	
B2	43	70	132	37	19.5	16.30	13.44	1771	1.10	G1-D8-ME-0004	
B3	64	104	156	45.7	23.9	19.80	16.20	1771	1.10	G1-D8-ME-0004	
B4	84	137	186	53.8	28.1	23.30	18.20	1771	1.10	G1-D8-ME-0004	

L110I-E

Sign:



Module Signal Definition			
Pin No.	Lead	Signal Definition	Remarks
A/B	1	DC+	Power Positive
	2	DC-	Power Negative
E/F	1	ESN	-
	2	ESD	485 Signal GND
	3	ESN	-
H/I	1	ESLP	Ethernet connector-OUT
	2	ESLN	
	3	ESLP	
J	1	ESLP	Ethernet connector-IN
	2	ESLN	
	3	ESLP	
K	1	BAT+	Battery Positive Terminal
	2	BAT-	Battery Negative Terminal


Technical requirements:

- Insulation resistance (DC500V) > 500MΩ, insulation withstand voltage AC500V (1 minute), less than 5mA
- Motor-side encoder resolution: 16-bit multi-turn, 17-bit single-turn
- Encoder resolution at reducer end: 17-bit singleturn
- Bus protocol: EtherCAT
- Appearance: No visible burrs, scratches, bumps and other defects
- Operating temperature: -25~55℃
- Unidirectional positioning accuracy: 60Arc sec, repeat positioning accuracy: 20Arc sec

Module Data										Rotary actuator	
Ratio	Rated Torque (Nm)	Permissible peak torque at stall (Nm)	Permissible peak torque at 1000rpm (Nm)	Rated Speed (rpm)	Max. Speed (rpm)	Rated Current (A)	Max. Current (A)	Tp Constant (ms/turn)	Rated Torque (Nm)	Weight (kg)	Part No.
51	25	125	250	18.0	70.0	0.20	0.52	1.00	2.20 (H10 Brake)	0.15	L110I-E-XXX-III-001
81	114	570	112	81	285	0.85	2.12	1.00	2.20 (H10 Brake)	0.15	G1-III-ME-0010
10	190	950	190	70.0	280.0	0.70	1.70	1.00	2.40 (H10 Brake)	0.15	G1-III-ME-0010
121	141	217	141	51.0	195.0	0.51	1.28	1.00	2.40 (H10 Brake)	0.15	G1-III-ME-0010

L142I-C

Sign:



Module Signal Definition			
Pin No.	Lead	Signal Name	Remarks
A/B/C	1	DC+	Power Positive
	2	DC-	Power Negative
E/F	1	ESN	-
	2	ESD	CAN GND
	3	ESN	-
H/I	1	ESD	485 Signal GND
	2	ESN	-
J	1	BAT+	Battery Positive
	2	BAT-	Battery Negative

Technical Requirements:

- Insulation Resistance (DC500V) > 500MΩ, insulation Withstand Voltage: AC500V (1 minute), Less than 5mA
- Motor-side Encoder Resolution: 16-bit multi-turn, 17-bit single-turn, Reducer-side Encoder Resolution: 17-bit single-turn
- Bus Protocol: CANopen
- Appearance: No visible burrs, scratches, dents, or other defects
- Operating Temperature: -25~55℃
- Positioning Accuracy: 60arc seconds unidirectional, Repeatability: 20 arc seconds

Module Data										Rotary actuator	
Ratio	Rated Torque (Nm)	Permissible peak torque at stall (Nm)	Permissible peak torque at 1000rpm (Nm)	Rated Speed (rpm)	Max. Speed (rpm)	Rated Current (A)	Max. Current (A)	Tp Constant (ms/turn)	Rated Torque (Nm)	Weight (kg)	Part No.
81	140	280	140	80.0	315.0	0.80	2.02	1.00	2.20 (H10 Brake)	0.15	L142I-C-XXX-III-001
81	217	430	217	57.0	227.0	0.57	1.43	1.00	2.20 (H10 Brake)	0.15	G1-III-ME-0005
10	285	570	285	70.0	280.0	0.70	1.70	1.00	2.40 (H10 Brake)	0.15	G1-III-ME-0005
101	200	400	200	50.0	195.0	0.50	1.28	1.00	2.40 (H10 Brake)	0.15	G1-III-ME-0005

L142I-E

Sign	
------	--

Technical Requirements:

1. Insulation resistance (DC 500V) > 500MΩ, insulation withstand voltage AC500V (1 minute), less than 5mA;
2. Motor-side encoder resolution: 16-bit multi-turn, 17-bit single-turn; Encoder resolution at reducer end: 17-bit single-turn;
3. Bus protocol: EtherCAT;
4. Appearance: without obvious burrs, scratches, bumps and other defects;
5. Operating temperature: -25~55°;
6. Unidirectional positioning accuracy: 60Arc sec, repeat positioning accuracy: 20Arc sec.

Module Data									
Ratio	Rated Output (Nm)	Permissible peak torque (Nm)	IP Protection Level	Rated Speed (rpm)	Max Speed (rpm)	Rated Current (A)	Max Current (A)	IP Current (Max/Min)	Rated Torque (Nm)
1:1	261	512	IP67	28.7	58.6	18.93	28.93	7.22	26.1
1:2	131	259	IP67	14.7	27	9.93	14.93	3.61	13.1
1:3	87	173	IP67	9.8	18.2	6.62	10.28	2.41	8.7
1:4	68	138	IP67	7.2	13.8	4.98	7.49	1.81	6.8

Module Signal Definition	
Pin No.	Lead Signal Definition
1	DC+
2	DC-
1	48V
2	0V
3	48V
4	0V
1	EA1_P
2	EA1_N
3	TA1_P
4	TA1_N
1	EA2_P
2	EA2_N
3	TA2_P
4	TA2_N
1	BAT+
2	BAT-

Rotary actuator

L142I-E-XXX-00-001

L1-00-00-001

浙江莱福驱动科技股份有限公司

L170I-C

Sign	
------	--

Technical Requirements:

1. Insulation Resistance (DC 500V) > 500MΩ, insulation withstand voltage AC1100V (1 minute);
2. Motor-side Encoder Resolution: 16-bit multi-turn, 17-bit single-turn; Motor-side Encoder Resolution: 17-bit single-turn;
3. Bus Protocol: EtherCAT;
4. Appearance: No visible burrs, scratches, dents, or other defects;
5. Operating Temperature: -25~55°;
6. Positioning Accuracy: 60 arc seconds unidirectional, repeatability: 20 arc seconds.

Module Data									
Ratio	Rated Output (Nm)	Permissible peak torque (Nm)	IP Protection Level	Rated Speed (rpm)	Max Speed (rpm)	Rated Current (A)	Max Current (A)	IP Current (Max/Min)	Rated Torque (Nm)
1:1	325	650	IP67	34.2	69	22.93	34.93	8.74	32.5
1:2	163	325	IP67	17.2	34.9	11.49	17.49	4.37	16.3
1:3	109	217	IP67	11.5	23.3	7.66	11.66	2.91	10.9
1:4	82	164	IP67	8.6	17.5	5.74	8.74	2.19	8.2

Module Signal Definition	
Pin No.	Lead Signal Definition
1	DC+
2	DC-
1	48V
2	0V
3	48V
4	0V
1	EA1_P
2	EA1_N
3	TA1_P
4	TA1_N
1	BAT+
2	BAT-

Rotary actuator


L170I-C-XXX-00-000

L1-00-00-001

浙江莱福驱动科技股份有限公司

L170I-E

Sign




Technical requirements

- Insulation resistance (DC500V) > 500MΩ, insulation withstand voltage AC500V (1 min), less than 5mA;
- Motor-side encoder resolution: 16-bit multi-turn, 17-bit single-turn;
- Encoder resolution at reducer end: 17-bit single-turn;
- Bus protocol: EtherCAT;
- Operating temperature: -25~55;
- Unidirectional positioning accuracy: 60Arc sec, repeat positioning accuracy: 20Arc sec;

Module Signal Definition			
Pin No.	Lead	Signal Definition	Remarks
A/B/C	1	B0+	Power Positive
	2	B0-	Power Negative
E/T	1	480L	/
	2	480	485 Signal GND
1	1	RS1_P	Ethernet connector-GUT
	2	RS1_S	
	3	TX1_P	
	4	TX1_N	
2	1	RS2_P	Ethernet connector-IN
	2	RS2_S	
	3	TX2_P	
	4	TX2_N	
8	1	B0+	Backup Battery Positive Terminal
	2	B0-	Backup Battery Negative Terminal

Module Data										Rotary actuator		L170I-E-001-01-C00		
Ratio	Rated Torque (Nm)	Power (W)	Rated Speed (rpm)	Max Speed (rpm)	Rated Current (A)	Max Current (A)	Max Torque (Nm)	Max Speed (rpm)	Max Torque (Nm)	Weight (kg)	Part No.		Part No.	
1:1	2.20	3.20	1662	36.0	1.8	2.2	2.20	36.0	2.20	0.15	GJ-TD-0E-0054		GJ-TD-0E-0054	
6:1	7.90	11.70	670	11.7	6.0	7.9	7.90	11.70	7.90	0.45				
10:1	19.4	28.8	400	19.4	14.8	19.4	19.40	28.80	19.40	0.70				
32:1	59.6	89.0	125	19.4	39.2	59.6	59.60	89.00	59.60	1.10				



武汉德福科技股份有限公司

Chapter 5 Brake

Brake Precautions

(1) The brake does not require an additional power supply. When the module is powered on and enabled, the system will automatically energize the brake according to the configured brake type: (P0-01 = 0: Electromagnetic brake, P0-01 = 1: Permanent magnet brake)

(2) Do not disable the module abruptly at high speed. Under no circumstances should the enable signal be suddenly turned off during high-speed operation. Sudden emergency braking may cause irreversible damage to the module body, gearbox, and brake.

(3) Avoid strong magnetic fields. The brake is an electromechanical device. Do not use the module in strong magnetic fields to prevent brake malfunction. Magnetic shielding can be applied to the module body if necessary.

(4) Brake holding torque limitations. The brake has a maximum holding torque. Even when the brake is engaged, forces exceeding the holding torque may still move the module. Do not apply the module in situations where the torque exceeds the rated torque or the brake's holding torque, to avoid brake failure or module damage.

The holding torque of brakes for different module models is listed in the table below:

Module	Holding Torque
L70	0.6N ·m
L80	0.71N ·m
L90	1N ·m
L110	2.2N ·m
L142	4N ·m
L170	8.5N ·m

(5) Due to the physical limitations of the brake, ensure that the interval between two enable commands is at least 300 ms. After enabling the module, do not send motion commands immediately; delay 500 ms before issuing the first motion command.

(6) Avoid prolonged enable in unloaded conditions. Do not keep the module enabled or operate it for long periods in a suspended, no-load state. In such cases, the brake will remain energized without proper contact cooling, which may lead to module overheating. Overheating under these conditions is normal and does not indicate a quality issue.

Brake Lifetime

≥ 2,000,000 engage/disengage cycles

≥ 1 hour of break-in dragging

Forced Brake Release

To forcibly release the brake, set P5.14 = 4 via the upper-level controller through the RS -485 connection.

Caution: Ensure there is no risk of falling or uncontrolled motion.


After testing, promptly restore P5.14 to its normal value to prevent accidental situations.

Brake Power


Module	Power	Current
L70	Startup / Holding Power 13.5W/3.4W	0.56A/0.28A
L80	3.4W	0.14A
L90	4.5W	0.19A
L110	9.1W	0.38A
L142	7.6W	0.32A
L170	9.35W	0.39A

Brake Drawing


BL-70-A




BM-80-A



BL-142-A



BM-170-A



Chapter 6 Encoder Specifications

The built-in encoder in the low-voltage series is a multi-turn absolute encoder capable of recording absolute positions and absolute rotation counts. It consists of a single-turn detector (17-bit) for detecting the motor shaft's rotational position and a multi-turn detector (16-bit) for detecting the number of rotations.

This encoder continuously detects the mechanical absolute position, regardless of the power ON/OFF status of the driver and external controller, and utilizes battery backup for data preservation. As long as the origin positioning is performed during mechanical installation, there is no need for origin resetting upon each power-up. It is also easy to restore after power outages or malfunctions.

The encoder communicates directly with the internal drive board, eliminating the need for any additional configuration operations.

Specifications

Type	Magnetic sensor / electronic battery backup system
Single-turn Detector	2 ¹⁷ :131072pulses
Multi-turn Detector	2 ¹⁶ :65536(-32768~32767)
Maximum Permissible Encoder Speed	7000 r/min*1
Safety and Redundancy	Matching detection method based on dual single-turn detectors Matching detection method based on dual cumulative rotation counters
External Battery Backup Duration	5 years (when not powered) *2

*1 :The maximum speed at which the encoder can rotate, which is distinct from the speed at which the motor can drive.

*2 :This value applies when the motor shaft is not moving. If the shaft rotates frequently while the system is unpowered, the external battery will deplete more quickly

Output Shaft Resolution

Encoder Resolution	17bit(217:131072Pulses)						
Reduction Ratio	1:31	1:51	1:81	1:101	1:121	1:161	
Output Shaft Resolution	Pulses per Revolution	4063232	6684672	10616832	13238272	15859712	21102592
Single Pulse Angle	seconds	approx 0.3	approx 0.2	approx 0.12	approx 0.1	approx 0.082	approx 0.061

Absolute Position Data Conversion

"Absolute Position" refers to the absolute position of the motor shaft in one rotation, while "Multiple Rotations" refers to the number of rotations of the motor. The position of the output shaft of the transmission device can be calculated using the formula below.

Transmission Device Output Shaft Position= (Absolute Position + Multi-turn Rotation × Encoder Resolution) ÷ Reducer Ratio

Multi-turn Encoder Backup Battery

For joints equipped with a multi-turn version, a 3.6 V battery provides power to the multi-turn encoder when the module loses main power. This allows the encoder to retain its multi-turn position, preventing robots or other devices from losing the zero reference.



3.6V battery

Precautions for Using Our Multi-turn Backup Battery:

- (1) Do not alter the original wiring sequence;
- (2) Do not use wires or other conductive materials to directly short the positive and negative terminals of the battery.
- (3) Ensure correct insertion: Insert the battery in the correct orientation. After insertion, fix the battery body to prevent the ConnectionTerminal from being pulled or shaken..
- (4) Battery replacement procedure: When removing the Connection Terminal, do not pull it out directly. First, release the latch at the front of the terminal, then gently remove it.

Chapter 7 Environment and Installation

Operating Environment

The operating conditions for the low-voltage series modules are as follows:

- Operating Temperature : -10~55 °C (for normal-temperature grease) and -30~55 °C (for low-temperature grease)

The temperature inside the cabinet may be higher than the ambient temperature, depending on the power loss of the external equipment and the size of the cabinet. Plan the cabinet size, heat dissipation system and equipment layout to ensure that the ambient temperature is maintained at 55 °C or below.

- Operating Humidity: 20%-80%

Ensure no condensation. Note that condensation may occur with significant day-to-night temperature changes or frequent starting and stopping of actuators.

- Vibration : 24.5 m/s² (2.5G) (10-400Hz)

The module cannot operate in applications subjected to continuous shock.

- Operating Environment: No dust, condensation, metal powder, corrosive gases, water, oil mist, etc.
- Protection Rating: IP54
- Altitude: Below 1000 meters
- Leakage Measures:

Oil seals in rotating and sliding areas cannot completely prevent lubricant leakage. If the actuator is used in clean rooms or similar environments, additional oil leakage prevention measures should be provided.

- Installation Location:

Should be installed indoors or in protected outdoor areas, avoiding direct exposure to sunlight.

Installation Steps

When installing the module, do not hit the module with a hammer. The module's reducer is a precision mechanism , and the module is equipped with an encoder. Excessive impact may damage the reduction mechanism and the encoder.

1.Align the Module Output and Load Shaft Precisely.

Note: Perform this alignment carefully, especially when using rigid couplings. Even slight misalignment can cause the actuator to exceed the allowable load, leading to damage to the output shaft.

2. Use flat washers and high-strength bolts to secure the module flange to the load end, Tighten them with a torque wrench to control the tightening torque.

The tightening torque is shown in the table below:

Module Item	L-70-I		L-80-I		L-90-I		L-110-I		L-142-I		L-170-I	
	Output shaft	Flange	Output shaft	Flange	Output shaft	Flange	Output shaft	Flange	Output shaft	Flange	Output shaft	Flange
Bolt Specifications	M3	M3	M3	M3	M3	M4	M4	M4	M5	M5	M6	M6
Hole Depth	15 (Threaded Portion Depth: 6)	7.5	16.5 (Threaded Portion Depth: 6)	7.5	17.5 (Threaded Portion Depth: 6)	10	22 (Threaded Portion Depth: 8)	10	27.5 (Threaded Portion Depth: 8)	10	34 (Threaded Portion Depth: 10)	50 (Through-Hole)
Clamping Force	2.4N·m	2.4N·m	2.4N·m	2.4N·m	2.4N·m	5.4N·m	5.4N·m	5.4N·m	10.8N·m	10.8N·m	18.4N·m	18.4N·m

3. Proper Connection of Motor Power and Encoder Cables

Do not pull the cables forcefully, as this may damage the terminals at the connection points.

Keep the cables slack to avoid applying tension to the module. When bending the cables, maintain a sufficient bending radius ($R=40\text{mm}$ or more) to prevent excessive bending that could cause cable breakage.

Discharge Module Description

1. Product Description

(1) The power discharge module is a dedicated component for handling the regenerative braking kinetic energy of robot joint modules operating under high-speed and heavy-load conditions, thereby preventing the bus voltage overvoltage alarm and shutdown caused by the surge in power supply voltage due to regenerative energy feedback.

(2) When the joint module is powered by a 48V switching power supply, the operating circuit with the added power discharge module can be simplified and equivalent to the diagrams shown in Figure 1-1 and Figure 1-2.

(3) The discharge resistor functions to dissipate excess energy through resistance when the circuit loop is in the kinetic energy recovery process, thus avoiding the power supply voltage surge induced by regenerative energy feedback. However, the discharge resistor cannot be connected to the circuit for an extended period; otherwise, it will continuously generate excessive heat, leading to component damage, circuit malfunctions and unnecessary power consumption. Therefore, it is recommended to design a

reliable control logic for the discharge resistor connection. When the joint module is powered by a 48V switching power supply, the control logic for the discharge resistor connection of the power discharge module is as follows: the resistor is disconnected when $V_{DC} \leq 52V$ (see Figure 1-1), and the power supply only outputs electric energy to the motor at this time; the resistor is connected when $V_{DC} \geq 55V$ (see Figure 1-2), and the excess electric energy is dissipated through the resistor at this time.




Figure 1-1 Resistor off ($V_{DC} \leq 52V$)




Figure 1-2 Resistor on ($V_{DC} \geq 55V$)

2. Technical Information

2.1 Electrical Characteristics

Table 2-1 Electrical Characteristics

Electrical Characteristics	
Input Voltage (VDC)	24-65
External Braking Resistor	See Table 3-2 and Table 3-3
Capacitance (μF)	1000

2.2 Adjustment of Regenerative Braking Resistor for Start/Shutdown

The discharge module is equipped with two DIP switches, and the discharge voltage value can be adjusted via the DIP switches as detailed in the following table:

Table 2-2 Technical Data

Supply Voltage (DC)	SW1	SW2	Start Regeneration (V)	Stop Regeneration (V)	Description
$\leq 50 V$	OFF	OFF	55	51	Activates the regenerative braking resistor when $V_{DC} \geq 55 V$; Deactivates the regenerative braking resistor when $V_{DC} \leq 52 V$.
$> 50 V$ $\leq 58 V$	OFF	ON	64	60	Activates the regenerative braking resistor when $V_{DC} \geq 64 V$;

					Deactivates the regenerative braking resistor when VDC \leq 60 V.
> 50 V \leq 58 V	ON	OFF	64	60	Activates the regenerative braking resistor when VDC \geq 64 V; Deactivates the regenerative braking resistor when VDC \leq 60 V.
> 58 V \leq 65 V	ON	ON	73	68	Activates the regenerative braking resistor when VDC \geq 73 V; Deactivates the regenerative braking resistor when VDC \leq 68 V.

Notes

1. Do not allow the module supply voltage to exceed the regenerative braking resistor activation voltage. Exceeding this voltage will cause the discharge module and braking resistor to operate continuously, resulting in overheating.
2. The voltage error for the regenerative braking resistor activation/deactivation voltage is less than 1.5%.

2.3 LED Indicator Description

This module is equipped with 2 LED indicators, whose functions are described as follows:

Table 2-2 LED Indicator Description

Color	Function	Description	Troubleshooting Notes
Yellow	Power Indicator	Solid on when power is normal; Off or flashing when power is abnormal.	If the light remains off or flashes after power-on, check whether the input voltage of the module is normal and if the power screw terminals are tightened securely.
Green	Brake Resistor Indicator	1. Solid on when powered on normally; 2. Off or flashing when regenerative braking resistor is activated.	1. Discharge powered, module not running: If the LED indicator is off or flashing: ① Check if the brake resistor screw terminals are securely tightened or if the brake resistor is open-circuited. ② Check if the supply voltage exceeds the discharge voltage. 2. Discharge powered, module running: If the LED indicator is solid on: ① The supply voltage rises due to the module's kinetic energy feedback but is lower than the regenerative braking resistor activation voltage. This is normal if the activation/deactivation voltage settings are appropriate.

			② The supply voltage rises due to the module's kinetic energy feedback and exceeds the regenerative braking resistor activation voltage, indicating module damage.
--	--	--	--

Notes

1. Do not allow the module supply voltage to exceed the regenerative braking resistor activation voltage. Exceeding this voltage will cause the discharge module and braking resistor to operate continuously, resulting in overheating.
2. The voltage error for the regenerative braking resistor activation/deactivation voltage is less than 1.5%.

2.4 Environmental Conditions

Table 2-4 Environmental Conditions

Feature	Specification
Operating Temperature	-20 ~ 60°C
Storage Temperature	-30 ~ 60°C
Protection Class	IP30
Operating & Storage Humidity	20% ~ 80% RH (non-condensing)

Note

Please ensure the operating environment is free of dust, metal powder, corrosive gases, flammable gases, oil mist, and other contaminants.

3. Wiring

3.1 Electrical Interface Definition

The electrical interface of the power discharge module is shown in Figure 3-1, and the interface definitions are detailed in Table 3-1.

Table 3-1 Electrical Interface Definition

Category	Pin No.	Pin Label	Pin Function	Part No.	Terminal Specifications
Power Input	1	PE	Connect to module housing (ground)	DB910-6.35-3P-GN-P	Screw terminal Wire gauge: 10–14 AWG Tool: M3 Phillips screwdriver
	2	48-	Connect to 48 VDC power negative		
	3	48+	Connect to 48 VDC power positive		

Brake Resistor	1	BR+	Connect to brake resistor	DB910-6.35-2P-GN-P	
	2	BR-			

3.2 Wiring and Operation Instructions

The wiring diagram of the 48V DC power supply with the power discharge module and joint module is shown in Figure 3-2. The DC+ and DC- terminals of the discharge module must be directly connected to the DC+ and DC- terminals of the module respectively. The recommended specifications for the DC48V power supply and braking resistor R corresponding to each joint model are listed in Table 3-2. The recommended accessory specifications for the power discharge module matched with each robotic arm model are listed in Table 3-3.




Figure 3-2 Wiring Diagram of Power Discharge Module

Table 3-2 Recommended Accessory Specifications for Each Joint Model

Joint Model	DC Power Supply Specification	Braking Resistor Specification	Electrolytic Capacitor Specification
08	100W 、 48VDC	50W、 10Ω	12000 μ F、 80V
11	150W 、 48VDC	50W、 10Ω	12000 μ F、 80V
70	200W 、 48VDC	50W、 10Ω	12000 μ F、 80V
80	600W 、 48VDC	200W、 5Ω	36000 μ F、 80V
90	800W 、 48VDC	200W、 5Ω	96000 μ F、 80V
110	1200W 、 48VDC	200W、 5Ω	96000 μ F、 80V
142	1500W 、 48VDC	300W、 3Ω	96000 μ F、 80V
170	3000W 、 48VDC	300W、 3Ω	96000 μ F、 80V

Table 3-3 Recommended Accessory Specifications for Each Robotic Arm Model

Robotic Arm Model	DC Power Supply Specification	Braking Resistor Specification
7kg Robotic Arm	2000W / 48VDC	200W / 5Ω
12kg Robotic Arm	2500W / 48VDC	300W / 3Ω
20kg Robotic Arm	5000W / 48VDC	300W / 3Ω

4. Mounting Method

The power discharge module generates heat during operation, and the resistor may even become hot to the touch. Do not touch it directly. The power discharge module and discharge resistor shall be mounted in an environment with good ventilation and heat dissipation conditions, such as on a large-area metal plate or in an electrical cabinet equipped with a cooling fan.

Chapter 8 Debugging and Operation

Introduction

This manual describes the usage, precautions, and related information for the AthDrive firm ware developed, designed, and implemented by Laifual Drive. Please read it carefully before operating the software.

AthDrive is a dedicated host PC application specifically developed for the Laifual low-voltage series modules. The software provides a range of features — including parameter configuration, phase-finding (commutation alignment), jog testing, and more — presented in a clean, well-organized interface. It is easy to use and enables users to quickly commission, debug, and operate the low-voltage modules.

Installation


Please download our host PC software from the official website www.laifualdrive.com under “Service & Support” → “Download Center.” For the USB-to-RS485 serial driver, please download version 323 from the following link: <https://www.zily-tech.com/driver/>

Hardware Connection Block Diagram

Solution Overview:

The module is powered by a 48 V power supply, and RS-485 communication is used to connect the module with the PC firm ware. Module parameter values can be modified through the firm ware .

The hardware wiring diagram is shown below:



Steps to Connect to the firm ware

1.Connect the RS-485 communication cable.


For the communication cable provided by our company: Red wire A → T+/A, Yellow wire B → T-/B, Black wire G → GND

The RS-485 adapter is shown in the figure below:



2.Open the firm ware . If the port cannot be detected, first check the connection of the communication cables. If the cables are in good condition, please download and install the USB-to-RS485 serial driver. The specific download link is provided in the “ Installation ” section.


As shown in the figure below, follow the steps to connect to the firm ware .



Chapter 9 JOG Test Run

Open “JOG Control ” and click “Start ” to enable the servo. Confirm that the brake has been released (a clicking sound “click ” indicates the brake is open).

Click the rotation arrow on the right (press and hold the left mouse button for 8 seconds before releasing) to perform a rotation test.



The program JOG

In the “AthDrive PC software” - “Parameter Table”, modify the following parameters in order to enable the JOG program.

For example: if the module is required to run at a speed of 2000 rpm with an acceleration of 100 ms², and the motor needs to rotate 100 turns forward and 100 turns in reverse repeatedly, the parameters can be set as follows.

1. **P7.00** Bus Mode 0 (No Bus)
2. **P0.05** Control Module 12
3. **P6.00** JPOS0 Position Control Pulse (High) 1310

(Set the value of the first position, where the value multiplied by 10000 and added to the low-value will give the target position pulse.)

P6.01 JPOS0 Position Control Pulse (Low) 7200

P6.02 JPOS1 Position Control Pulse (High) -1310

(Set the value of the second position, where the value multiplied by 10000 and added to the low-value will give the target position pulse.)

P6.03 JPOS1 Position Control Pulse (Low) -7200

P6.20 JPOS0 Position Speed Control 2000 (Speed control for the first position, in rpm)

P6.21 JPOS1 Position Speed Control 2000 (Speed control for the second position, in rpm)

P6.30 JPOS0 Position Filter Time 1000 (Filter time for the first position, in 0.1ms)

P6.31 JPOS1 Position Filter Time 1000 (Filter time for the second position, in 0.1ms)

P6.40 JPOS0 Position Stop Time 20 (Stop time from the current position to the next position, in 50ms)

P6.41 JPOS1 Position Stop Time 20 (Stop time from the current position to the next position, in 50ms)

4. **P4.18** Servo ON Wait Time 0



5. **P5.01** Set to 1 to start the operation

Chapter 10 Key Parameter Verification and Rigidity Adjustment


1. Open the firm ware and select “Settings → Communication.”

Click the “Connect” button. Once the connection is successful, the “Connection Status” will change from red to green, and the corresponding module model will be displayed.

(If “Failed to Open Port” appears, please unplug and reinsert the USB interface, then try connecting again.)




2. Click “Others → Settings ” and select the “Administrator ” button. The top-right corner will indicate that you have entered Administrator Mode.



Parameter confirmation

1. Open “Parameter Table ” and click the “Upload All ” button to upload the motor parameters.



2 Parameter

Joint Module	Key Parameter					
L-70-I-XX	Ratio		50	80	100	120
	P0.00	Motor Model	1	0	2	
	P0.01	Motor Type	0	0	0	
	P0.03	Drive Model	0	0	0	
	P0.07	Full closed-loop enable	0	0	0	
	P0.08	UV phase sequence	1	1	1	
	P0.09	Module ratio	51	81	101	
	PA.03	Pole pairs	8	8	8	
	PA.04	Rated current	323	316	253	
	PA.05	Maximum current	82.5	67.7	65.2	
L-80-I-XX	Ratio		50	80	100	120
	P0.00	Motor Model	1	0	2	3
	P0.01	Motor Type	1	1	1	1
	P0.03	Drive Model	1	1	1	1
	P0.07	Full closed-loop enable	0	0	0	0
	P0.08	UV phase sequence	1	1	1	1
	P0.09	Module ratio	51	81	101	121
	PA.03	Pole pairs	8	8	8	8
	PA.04	Rated current	1042	675	789	659
	PA.05	Maximum current	134.8	108	108.3	90.4
L-90-I-XX	Ratio		50	80	100	120
	P0.00	Motor Model	1	0	2	3
	P0.01	Motor Type	1	1	1	1
	P0.03	Drive Model	3	3	3	3
	P0.07	Full closed-loop enable	0	0	0	0
	P0.08	UV phase sequence	1	1	1	1
	P0.09	Module ratio	51	81	101	121

	PA.03	Pole pairs	8	8	8	8
	PA.04	Rated current	1181	963	810	676
	PA.05	Maximum current	195.9	151.5	135.4	119.4
L-110-I-XX	Ratio		50	80	100	120
	P0.00	Motor Model	1	0	2	3
	P0.01	Motor Type	1	1	1	1
	P0.03	Drive Model	2	2	2	2
	P0.07	Full closed-loop enable	0	0	0	0
	P0.08	UV phase sequence	1	1	1	1
	P0.09	Module ratio	51	81	101	121
	PA.03	Pole pairs	10	10	10	10
	PA.04	Rated current	1838	1816	1805	150.7
	PA.05	Maximum current	324.2	286.1	263	233.5
L-142-I-XX	Ratio		50	80	100	120
	P0.00	Motor Model	1	0	2	3
	P0.01	Motor Type	1	1	1	1
	P0.03	Drive Model	4	4	4	4
	P0.07	Full closed-loop enable	0	0	0	
	P0.08	UV phase sequence	1	1	1	1
	P0.09	Module ratio	51	81	101	121
	PA.03	Pole pairs	10	10	10	10
	PA.04	Rated current	1940	1893	1966	1641
	PA.05	Maximum current	389.3	344.5	302.9	268
L-170-I-XX	Ratio		50	80	100	120
	P0.00	Motor Model	1	0	2	3
	P0.01	Motor Type	1	1	1	1
	P0.03	Drive Model	5	5	5	5
	P0.07	Full closed-loop enable	0	0	0	0
	P0.08	UV phase sequence	1	1	1	1
	P0.09	Module ratio	51	81	101	121

	PA.03	Pole pairs	10	10	10	10
	PA.04	Rated current	4246	3868	4069	4112
	PA.05	Maximum current	870.8	707.6	620.5	562.8
	P0.09	Module ratio	51	81	101	121
	PA.03	Pole pairs	10	10	10	10
	PA.04	Rated current	4096	3732	3926	3967
	PA.05	Maximum current	840.1	682.7	598.6	543

Rigidity Adjustment

Rigidity adjustment requires appropriate modification of five parameters in the firm ware . The specific parameters are: P1.00 - Position Loop Gain, P1.08 - Velocity Feedforward Gain, P2.00 - Speed Loop Proportional Gain, P2.01 - Speed Loop Integral Time Constant, P2.0C - Load Inertia Percentage

1.Position Loop Gain (P1.00)

Function: Determines how accurately the system follows the commanded position. Higher position loop gain increases system response speed and stiffness, and reduces position lag.

Setting Method:

Initial Setting:

- Set as high as possible while ensuring the motor operates quietly. You may refer to the value obtained from self-learning.

Adjustment Steps:

- Gradually increase the position loop gain and observe whether the system exhibits vibration or overshoot.

If vibration or overshoot occurs, reduce the gain slightly until the system stabilizes.

2. Position Feedforward Gain (P1.08)

Function: Improves high-speed response of the control system and reduces position lag.

Setting Method:

Initial Setting:

- Usually set to 0 if high response performance is not required.

Adjustment Steps:

- Gradually increase the position feedforward gain and observe whether the system becomes unstable or exhibits vibration.

If the system remains stable, the gain can be further increased until the desired response speed is achieved.

3.Speed Loop Proportional Gain (P2.00)

Function: Affects the motor's speed response and stiffness. Higher proportional gain increases system stiffness and accelerates response speed.

Setting Method:

Initial Setting:

- Determined according to the specific servo drive model and load conditions. In general, larger load inertia requires a higher gain setting.

Adjustment Steps:

- Set the integral gain and derivative gain to zero.
- Gradually increase the speed proportional gain and observe whether vibration occurs when the motor stops.

If vibration occurs, slightly reduce the gain until the system stabilizes.

4.Speed Loop Integral Time Constant (P2.01)

Function: Influences the steady-state speed error and the stability of the speed loop. A smaller integral time constant results in faster integration.

Setting Method:

Initial Setting:

- Determined according to the specific servo drive model and load conditions. Larger load inertia typically requires a larger value.

Adjustment Steps:

- Gradually decrease the speed integral time constant while observing the system for vibration.

If vibration occurs, slightly increase the time constant until the system stabilizes.

General Tuning Procedure:

Set an appropriate rotor inertia ratio, referencing the value obtained from self-learning.

Set the speed loop integral time constant to a relatively large value to ensure initial system stability.

Gradually increase the speed loop proportional gain and observe the system. If vibration occurs, slightly reduce the gain.

Gradually decrease the speed loop integral time constant and observe the system. If vibration occurs, slightly increase the value.

Gradually increase the position loop gain and observe the system. If vibration occurs, slightly reduce the gain.

If mechanical resonance occurs, adjust the torque low-pass filter or notch filter to suppress resonance. To achieve shorter positioning time and smaller position tracking error, the position feedforward gain can be increased appropriately, but should not exceed 80%.


After setting all gain parameters, perform a stability test to observe whether the motor exhibits instability or vibration. If any issues appear, readjust the gain parameters until stable operation is achieved.

By following these steps, the servo motor gain parameters can be gradually tuned to ensure high response speed, high accuracy, and stable operation.


Chapter 11 Firmware Upgrade and Initialization

Upgrade via RS-485 Firmware

After connecting the module to the firm ware via RS-485, click the “Settings ” button at the bottom of the left-hand function panel.



Open Administrator Mode. A window indicating that Administrator Mode is active will appear in the top-right corner.




Click "Parameter Table" in the left-hand function panel, then click the "Upload All" button at the top.


The screenshot shows the Ath Drive software interface. On the left-hand side, there is a navigation menu with categories like Setting, Communication, Support, Test Production, Alarm Record, Jog Control, Monitor, Oscilloscope, Senior, Antiphase, Other, and Setting. The 'Parameter Table' option is highlighted with a red box and labeled with a red '1'. At the top of the main content area, there is a toolbar with buttons for 'All Upload', 'All Download', 'Export', 'Import', 'Restore Factory Settings', 'Save Factory Settings', and 'Reset'. The 'All Upload' button is highlighted with a red circle and labeled with a red '2'. Below the toolbar is a table of parameters.

AllParameters	Pn No.	Name	Value	Unit	MinValue	MaxValue	DefaultValue	Operation
P0.XX	P0.00	Motor model	<input type="text"/>	—	0	3	0	Upload Do
P1.XX	P0.01	The type of brake	<input type="text"/>	—	0	1	0	Upload Do
P2.XX	P0.02	Encoder type	<input type="text"/>	—	0	1	1	Upload Do
P3.XX	P0.03	Drive model	<input type="text"/>	—	0	13	0	Upload Do
P4.XX	P0.04	The motor rotates in the positive direction	<input type="text"/>	—	0	1	0	Upload Do
P5.XX	P0.05	Control mode rotation	<input type="text"/>	—	0	13	13	Upload Do
P6.XX	P0.06	Internal Enable Commands	<input type="text"/>	—	0	1	0	Upload Do
P7.XX	P0.07	Full closed-loop enablement	<input type="text"/>	—	0	1	0	Upload Do
P8.XX	P0.08	Exchange UV phase sequence	<input type="text"/>	—	0	1	0	Upload Do
PA.XX	P0.09	Module reduction ratio	<input type="text"/>	—	50	250	81	Upload Do
	P1.00	Position ring gain	<input type="text"/>	1/s	0	1000	40	Upload Do
	P1.01	Second position ring gain	<input type="text"/>	rad/s	0	1000	40	Upload Do
	P1.05	Position command filters the time constant	<input type="text"/>	0.1ms	0	32767	0	Upload Do
	P1.06	Position command filter form selection	<input type="text"/>	—	0	1	0	Upload Do
	P1.07	Speed offset	<input type="text"/>	rpm	0	200	0	Upload Do
	P1.08	Velocity feedforward percentage	<input type="text"/>	%	0	100	0	Upload Do


Next, locate the P7.01 “MODBUS Communication Baud Rate” parameter and change its value to “5”. Click the “Download” button on the right to download the parameter.




After the download is complete, switch back to the Communication interface and click the dark blue “Soft Restart” button. Once the soft restart is finished, click the red “Disconnect” button to disconnect.




Finally, reselect the 115200 baud rate and click the “Connect” button again.



After connecting, click the Settings tab on the left-hand panel, then click the dark blue “Firmware Upgrade” button.



Select the firmware file to upgrade (485 upgrade requires a .newbin file), then click Open.




When the blue progress bar reaches 99%, wait for one minute, then power off and restart the module. The firmware upgrade is now complete.

Firmware Upgrade via J-LINK

1. Preparation

1. Hardware Preparation: Prepare the J-Link debugger.



2. Software Preparation: Go to the software center and install the flashing tool J-Link V6.20H.




2. Initial Programming Procedure


1. After installation, open the J-Link Flash application.




2. Create a new project.




3. Select the corresponding MCU model as required. In this example, choose “MIMXRT1064xxx6A.”




Select “External” Flash




4. Click “Options” > “Project settings” to open the configuration interface.
5. Go to the “General” tab and set the connection method to “USB.”




6. Navigate to the “Target Interface” tab, select “SWD ” as the debugging interface, and set the speed to “AUTO.”




7. Go to the “Production ” tab and check “Start application” to enable automatic reset, allowing the program to run automatically after flashing.




8. After completing the above configuration, exit the settings interface. Then click “Target ” > “Connect ” to establish the connection between the J-Link emulator and the MCU.




Once the connection is successful, the LOG window will display “successfully.”



9. After the connection is established, click “File ” > “Open data file” to load the HEX file you want to flash into the project.




10. After the file is loaded, click “Target”> “Production Programming” to begin flashing the program.



11. Check the flashing result


Once the program is successfully downloaded, the LOG window will display “successfully.” If any additional dialog windows pop up, simply close them.



At this point, the flashing process is complete.


3. Flashing Using a .jflash File

For easier future programming, you may save the above project as a .jflash file.



By opening the .jflash file directly in J-Link Flash, you can connect and flash the program without repeating the configuration steps.

If it is necessary to change the MCU model, open the configuration interface to select the corresponding MCU, and execute step 9 above to update the HEX file.



Note: If any issues occur during the flashing process—such as connection failures—you may unplug and reconnect the J-Link cable or power-cycle the development board, then try connecting again.

Chapter 12 Communication: Configuration

Example


Operation example with Beckhoff controller.

Notes:

If you are not using a Beckhoff physical PLC, you will need a computer equipped with an Intel network card that supports Beckhoff TwinCAT 3 software.

You can find the list of network card models compatible with TwinCAT at the link below:

https://infosys.beckhoff.com/english.php?content=../content/1033/tc3_overview/9309844363.html&id=1489698440745036069



Beckhoff Controller Module Configuration Flowchart



Installing TwinCAT Software

The TwinCAT 3 software can be downloaded from the Beckhoff official website. It supports Windows 7, Windows 10, and Windows 11 operating systems.

- Copy the module's EtherCAT configuration file (XML) into the TwinCAT installation directory:
TwinCAT\3.1\Config\Io\EtherCAT
- Open TwinCAT 3 and create a New TwinCAT Project.


After installation is complete, ensure that the XML file has been added to the TwinCAT configuration path.

The default path is: C:\TwinCAT\3.1\Config\Io\EtherCAT




Device Search



1. Connecting to the Beckhoff Controller (If you do not have a Beckhoff physical PLC, you may skip this step.)





2. Connected successfully as below




3. Follow the steps below to install the network card driver. In the pop-up window, select the driver corresponding to your network card model, then click “ Install ” to complete the installation.




4. Starting Search




5. Check the master port, such as Device4 (EtherCAT), which corresponds to the port used to connect the module to the controller.




6. Click "Yes"




7. Click "OK"



8. Click "No"




9. Device addition is complete, as shown in the figure below.




Servo Parameter Configuration

In the "CoE-Online" interface, set the parameters through SDO communication. For example, change 6060h to Sync Position Mode (8), and the steps are as follows:



PDO Configuration

As shown in the figure, check 0x1602 and 0x1A02 for the axis. If the current PDO meets your requirements, there is no need to change it. Otherwise, you need to modify the PDO list to fit your mode. If you need to modify it, right-click in the PDOContent window, select "Del" to delete the unnecessary default PDOs, and "Add New Item" to add the required PDO.



General EtherCAT DC Process Data Plc Startup CoE - Online Online

Sync Manager:

SM	Size	Type	Flags
0	128	MbxOut	
1	128	MbxIn	
2	12	Outputs	
3	26	Inputs	

PDO List:

Index	Size	Name	Flags	SM	SU
0x1A00	8.0	CIA402 PV Mode (TX)			0
0x1A01	8.0	CIA402 PP Mode (TX)			0
0x1A02	26.0	CoE CSP Mode (TX)		3	0
0x1A03	2.0	HM(TX)			0
0x1600	6.0	CIA402 PV Mode (RX)			0
0x1601	6.0	CIA402 PP Mode (RX)			0
0x1602	12.0	CoE CSP Mode (RX)		2	0
0x1603	2.0	HM (RX)			0

PDO Assignment (0x1C12):

- 0x1600
- 0x1601
- 0x1602
- 0x1603

PDO Content (0x1602):

Index	Size	Offs	Name	Type	Default (h...
0x6040:00	2.0	0.0	Controlword	UINT	
0x607A:00	4.0	2.0	Target Position	DINT	
0x60B8:00	2.0	6.0	Touch Probe Function	UINT	
0x60FE:01	4.0	8.0	Physical Output	UDINT	
		12.0			

Download

- PDO Assignment
- PDO Configuration

Predefined PDO Assignment: (none)

Load PDO info from device

Sync Unit Assignment...

Name	Online	Type	Size	>Addr...	In/Out	User ...	Linked to
Statusword	X	UINT	2.0	95.0	Input	0	nState1, nState2
Position actual ...	X	DINT	4.0	97.0	Input	0	nDataIn1, In, Inputs ...
Torque actual ...	X	INT	2.0	101.0	Input	0	nDataIn3[0], nDataIn3 ...
FollowingError...	X	DINT	4.0	103.0	Input	0	nDataIn1, In, Inputs ...
Touch Probe S...	X	UINT	2.0	107.0	Input	0	nState5, nState6

0x1602 12.0 CoE CSP Mode (RX) 2 0

0x1603 2.0 HM (RX) 0

PDO Assignment (0x1C12):

- 0x1600
- 0x1601
- 0x1602
- 0x1603

Download

- PDO Assignment
- PDO Configuration

PDO Content (0x1602):

Index	Size	Offs	Name	Type	Default (h...
0x6040:00	2.0	0.0	Controlword	UINT	
0x607A:00	4.0	2.0	Target Position	DINT	
0x60B8:00	2.0	6.0	Touch Probe Function	UINT	
0x60FE:01	4.0	8.0	Physical Output	UDINT	

新增PDO对象

添加新项目(W)... Ctrl+Shift+A

删除(D) Del

删除PDO对象

Move Up

Move Down

Name	Online	Type	Size	>Addr...	In/Out	User ...	Linked to
Statusword	X	UINT	2.0	95.0	Input	0	nState1, nState2
Position actual ...	X	DINT	4.0	97.0	Input	0	nDataIn1, In, Inputs ...
Torque actual ...	X	INT	2.0	101.0	Input	0	nDataIn3[0], nDataIn3 ...
FollowingError...	X	DINT	4.0	103.0	Input	0	nDataIn1, In, Inputs ...
Touch Probe S...	X	UINT	2.0	107.0	Input	0	nState5, nState6


Activate Configuration and Switch to Run Mode

The screenshot displays the TwinCAT 3 configuration environment. On the left, the project tree shows the device configuration. The main area is divided into several sections:

- General:** Shows the device name 'EMM-CAT DC' and its status 'Online'.
- PDO List:** A table listing various digital and analog inputs and outputs.
- PDO Assignment (DI1C12):** A table showing the mapping of digital inputs to specific data points.
- PDO Content (DI1A00):** A table showing the content of digital inputs, such as 'Statusword' and 'Torque actual'.
- TcKerShell:** A dialog box with a 'Restart TwinCAT System in Run Mode' button, which is highlighted with a red circle and the Chinese text '点击' (Click).

Red arrows and the text '点击下载' (Click to download) point to the 'Download' button in the 'PDO Assignment' section. Another red arrow and the text '点击' (Click) point to the 'Restart TwinCAT System in Run Mode' button in the 'TcKerShell' dialog.

After completing the configuration, you can observe that the device enters the OP state in the "Online" interface.




Control Servo Operation
Control the servo via NC:


1. The servo operates in Cyclic Synchronous Position Mode.

a. Set Units

For testing, choose the unit as: mm.




b. Set Quantization Factor



ScalingFactor: The distance corresponding to each position feedback pulse from the encoder.
 For example, if the motor rotates 131072 pulses per revolution, and one revolution corresponds to 1mm, then the Scaling Factor Numerator should be 1 mm/Inc, and the Scaling Factor Denominator (default 1.0) should be 131072.

c. Set Encoder Feedback Mode to Pos



Encoder Sub Mask (absolute range maximum value): Based on the encoder's single-turn resolution of 131072, set it to 1FFFF.

Other Settings Description:

EncoderMode: Encoder mode, with the following three options:

Pos: Encoder is used only for position calculation when the position loop is inside the servo driver.

PosVelo: Encoder is used for both position and velocity calculation when the position loop is inside

TwinCAT NC.

d. Set Jog Speed

Parameter Name	Value	Unit
Maximum Velocity	1000.0	mm/s
Maximum Acceleration	1000.0	mm/s ²
Maximum Deceleration	1000.0	mm/s ²
Default Dynamics	1000.0	mm/s
Default Acceleration	1000.0	mm/s ²
Default Deceleration	1000.0	mm/s ²
Default Jerk	2000.0	mm/s ³
Special Motion and Homing		
Homing Velocity (Reverse per axis)	50.0	mm/s
Homing Velocity (FFwd per axis)	50.0	mm/s
Manual Velocity (Fast)	10.0	mm/s
Manual Velocity (Slow)	5.0	mm/s
Log Movement (Forward)	5.0	mm/s
Log Movement (Reverse)	5.0	mm/s
Fast Jog Step		
Fast Axis Stop Signal Type (optional)	CP1 (default)	
Fast Acceleration (optional)	5.0	mm/s ²
Fast Deceleration (optional)	5.0	mm/s ²
Fast Jerk (optional)	5.0	mm/s ³
Limit Settings		
Soft Position Limit Minimum Breathing	10.0%	%
Minimum Position	0.0	mm
Soft Position Limit Maximum Breathing	10.0%	%
Maximum Position	0.0	mm
Monitoring		
Position Log Monitoring	10.0	mm
Maximum Position Log Value	5.0	mm
Maximum Position Log Filter Time	0.02	s
Position Range Monitoring	10.0	mm

Set the "Manual Velocity (Fast)" jog speed to 10 mm/s and "Manual Velocity (Slow)" to 5 mm/s.

e. Jog Test

General Settings Parameter Dynamics Online Functions Coupling Compensation

0.2898 Setpoint Position: [mm] 3.7291

Lag Distance (min/max): [mm] 0.0000 (0.000, 0.000) Actual Velocity: [mm/s] 0.0000 Setpoint Velocity: [mm/s] 0.0000

Override: [%] Total / Control Output: [%] Error: 0 (bit0) 0.0000 % 0.00 / 0.00 %

Status (log): Ready NOT Moving Calibrated Moving Fw Has Job Moving Bw

Status (phys.): Coupled Mode In Target Pos. In Pos. Range

Enabling: Controller Feed Fw Feed Bw

Controller Kv-Factor: [mm/s/mm] 1 Reference Velocity: [mm/s] 200

Target Position: [mm] 0 Target Velocity: [mm/s] 100


F1 F2 F3 F4 [Stop] [F5] [F6]

Set Enabling dialog: Controller Feed Fw Feed Bw Override [%] 0

Click "Set" to open the dialog, then click "All". At this point, the servo driver is enabled. Jogging operation can be performed using F1~F4.


Application Example Using Xinje Controller

Below is a simple usage and configuration example of the robot joint module using Xinje's XL series PLC as the CANopen master. The wiring diagram is shown below:




Wiring Diagram for Configuring the Module with Xinje Controller

Xinje PLC Ethernet Port Pin Definition:




CANopen Interface Pin Definition of the Module Driver Board (taking the 142 model as an example; for others, see Chapter 8):




F/G	1	CANL	CAN bus Low
	2	GND	CAN bus Ground
	3	CANH	CAN bus High


CANopen Configuration:

1. Open the software and click "Serial Port Settings" in the "Menu" as shown below:








2. Create a new communication project and connect to the PLC.




3. Once connected successfully, the software will automatically return to the main page. Locate and click "CANopen" under "PLC Communication" in the "Project" section on the left, and the "CANopen Parameter Configuration" window will appear.



4. In the “CANopen Parameter Configuration” window, click “Add” to configure a slave device. The “Select Device File” window will appear. Click “Load EDS File,” select the appropriate EDS file, and then click “Add.”







5. Return to the “CANopen Parameter Configuration” window. Click on “StationID:1, XJ-XL5NMast” under the master “CAN_1” to enter the “Basic Parameters” section. Set the baud rate to 500K and click “Download Configuration.”

(Note:

- ① Modified master station number and baud rate require a power cycle and re-establishment of communication connection.
- ② The master’s baud rate must match that of the third-party device.)




Click “Yes” when the following confirmation window appears.




After reconnecting, the master’s baud rate will be updated to 1000K. Then click on “CAN_1:2, XXXX” under “ Slave Configuration,” go to the “General” tab to check the slave station ID, click “Start Monitoring,” and then click “Download Configuration.”

(Note:


- ① The slave station ID must match the communication node of the third-party driver and should start from ID 3.
- ② After changing the communication node of the third-party driver, it must be powered off and restarted.)




6. Click “SDO Read/Write,” enter the relevant index in the search box, and click “Search.”



7. In the “SDO Read/Write” window, enter “6040,” click “Search,” select “6040,” and then enter “6” in the “Write Value” field. Click “SDO Write,” and a “Success” prompt will appear.




Click “SDO Read,” and a “Success” prompt will confirm that the value “6” has been correctly read back in the “Read Value” column for “6040.”




Repeat the process to write values “7” and “15.” Once completed, the motor connected to the driver will be enabled, indicating that the PLC and the driver have been successfully connected via CANopen.

Appendix 1 Module Dimension Drawing


L70I-C




L80I-C




L90I-C




L110I-C



L142I-C



L170I-C



Note: Please check the attached drawing for confirmation or contact us for any unshown dimensional tolerances.

Appendix 2 Parameters

Firmware Parameters

Parameter No.	Object Dictionary Address	Communication Protocol	Parameter Name	Parameter Description	Parameter Unit	Minimum Value	Maximum Value	Default Value	Effective After Restart
P0.00	0x3000	CANOpen&EtherCAT	Motor Type	[0] 81Ratio [1] 51Ratio [2] 101Ratio [3] 121Ratio	—	0	3	0	NEEDRE BOOT
P0.01	0x3001	CANOpen&EtherCAT	Motor Type	Selected Motor Parameter table [0] T Joint [1] I Joint	—	0	3	0	NEEDRE BOOT
P0.02	0x3002	CANOpen&EtherCAT	Encoder Type	[0]Signle-turn [1]Signle-turn+ Multi-turn	—	0	1	1	NEEDRE BOOT
P0.03	0x3003	CANOpen&EtherCAT	Drive Type	[0] 14 [1] 17 [2] 20 [3] 25 [4] 32 [5] 40	—	0	15	0	NEEDRE BOOT
P0.04	0x3004	CANOpen&EtherCAT	Motor Positive Rotation Direction	[0]Counterclockwise Positive Rotation Direction [1] Clockwise Positive Rotation Direction.	—	0	1	0	NEEDRE BOOT
P0.05	0x3005	CANOpen&EtherCAT	Control mode rotation	[C] Position control (contact command) [D] Speed control (parameter command)	—	0	13	13	NEEDRE BOOT
P0.06	0x3006	CANOpen&EtherCAT	Internal enable command	[0] External S-ON valid [1] External S-ON invalid — motor excitation signal will be automatically activated after S-RDY output.	—	0	1	0	NEEDRE BOOT
P0.07	0x3007	CANOpen&EtherCAT	Full closed-loop enable	Full closed-loop enable	—	0	1	0	NEEDRE BOOT
P0.08	0x3008	CANOpen&EtherCAT	UV commutation	Swap the UV phase sequence.	—	0	1	0	NEEDRE BOOT
P0.09	0x3009	CANOpen&EtherCAT	Module ratio	Reducer Ratio	—	50	200	81	NEEDRE BOOT
P1.00	0x300A	CANOpen&EtherCAT	Position loop gain	This value determines the gain of the position loop. Increasing it enhances servo stiffness in position control, but	1/s	0	1000	40	NOREBO OT

				excessive gain may cause oscillation.					
P1.05	0x300F	CANOpen&EtherCAT	Position command filter time constant	This value is used for smoothing the input pulses. A larger value results in better smoothing effect, but an excessively large value will cause signal lag. Unit: 0.1 ms	0.1ms	0	32767	0	NOREBO OT
P1.06	0x3010	CANOpen&EtherCAT	Position command filter type selection	[0]: First-order filter [1]: Second-order filter	—	0	1	0	NEEDRE BOOT
P1.07	0x3011	CANOpen&EtherCAT	Speed bias	This value is set to shorten positioning time. However, if set too high or not properly coordinated with Pn112, it may cause vibration. It is related to the speed command, deviation counts, and Pn500 (positioning error).	rpm	0	300	0	NOREBO OT
P1.08	0x3012	CANOpen&EtherCAT	Velocity feedforward percentage	Used to set the position feedforward value. A higher value results in faster position response and smaller position deviation. Setting this value too high may cause overshoot and oscillation.	%	0	100	0	NOREBO OT
P1.09	0x3013	CANOpen&EtherCAT	Velocity feedforward filter time	Mechanical shock caused by smooth torque feedforward.	0.1ms	0	640	0	NOREBO OT
P1.0A	0x3014	CANOpen	Deviation counter reset method	[0] Deviation counter resets when S-OFF; does not reset on overtravel. [1] Deviation counter does not reset. [2] Deviation counter resets on S-OFF or overtravel (except zero clamp).	—	0	2	0	NEEDRE BOOT
P1.0B	0x3015	CANOpen	Deviation counter overflow alarm	When the deviation counter value exceeds this setting, it is considered an overflow and	256puls	1	32767	1024	NOREBO OT

				triggers an alarm signal.					
P1.0C	0x3016	CANOpen	Positioning time	This value sets the time required to complete positioning. Unit: 0.1 ms	0.1ms	0	60000	30000	NOREBO OT
P2.00	0x3017	CANOpen&EtherCAT	Velocity loop gain	This value determines the gain of the velocity loop. Ensure Pn106 (load inertia percentage) is set correctly.	rad/s	1	4000	500	NOREBO OT
P2.01	0x3018	CANOpen&EtherCAT	Velocity loop integration time	Reducing this value can shorten positioning time and improve velocity response.	0.1ms	1	4096	400	NOREBO OT
P2.04	0x301B	CANOpen	Parameter speed	This parameter can be set positive or negative. When control mode Pn005.1 = D, it determines the motor speed. Unit: rpm	rpm	-6000	6000	50	NOREBO OT
P2.05	0x301C	CANOpen	JOG speed	Sets the speed during JOG operation; the direction is determined by the button. Unit: rpm	rpm	0	6000	50	NOREBO OT
P2.06	0x301D	CANOpen	Soft start acceleration time	Time required to accelerate 1000 rpm under ramped speed command. Unit: ms	ms	0	10000	100	NOREBO OT
P2.07	0x301E	CANOpen	Soft start deceleration time	Time required to decelerate 1000 rpm under ramped speed command. Unit: ms	ms	0	10000	100	NOREBO OT
P2.08	0x301F	CANOpen	Velocity filtering time constant	Speed command primary filter time constant. Unit: ms	ms	0	10000	0	NOREBO OT
P2.09	0x3020	CANOpen	Speed command curve form	Speed command curve form [0] ramp [1] S-curve [2]first-order filter [3] second-order filter	—	0	3	0	NEEDRE BOOT
P2.0A	0x3021	CANOpen	S-curve selection	This value determines the transition curve of the S-curve.	—	0	3	0	NOREBO OT
P2.0B	0x3022	CANOpen	S-curve rise time	The time required to transition from one velocity point to another in an S-curve manner.	ms	0	10000	0	NOREBO OT

P2.0C	0x3023	CANOpen	Percentage of load inertia	load inertia to motor rotor inertia. Setpoint = (Load inertia / Rotor inertia) * 100	%	0	20000	0	NOREBO OT
P2.0D	0x3024	CANOpen & EtherCAT	Torque feedforward form	[0] General torque feedforward. [2] High-speed torque feedforward is used.	—	0	3	0	NEEDRE BOOT
P2.0E	0x3025	CANOpen & EtherCAT	Torque feedforward percentage	This is used to set the torque feedforward value to improve speed response. To use this function in manual tuning mode, please correctly set the load moment of inertia ratio Pn106.	%	0	100	0	NOREBO OT
P2.0F	0x3026	CANOpen & EtherCAT	Torque feedforward filter time	Mechanical shock caused by smooth torque feedforward.	0.1ms	0	640	0	NOREBO OT
P2.10	0x3027	CANOpen	Low-speed speed measurement filter	This value setting is used for filtering during low-speed speed measurement. If this value is set too high, the speed measurement will lag during low-speed speed measurement.	0.1ms	0	100	0	NOREBO OT
P2.11	0x3028	CANOpen	Zero clamp speed	When the input analog speed is less than this value, the motor will be locked at the current position.	rpm	0	3000	10	NOREBO OT
P3.01	0x3031	CANOpen & EtherCAT	Torque command filter constant	Setting up torque filtering can eliminate or reduce mechanical vibration, but improper settings can sometimes introduce mechanical vibration.	0.01ms	0	2500	0	NOREBO OT
P3.05	0x3035	CANOpen	Forward internal torque limit	Motor output torque limit value (parameter setting range is based on actual overload capacity).	%	0	400	200	NOREBO OT
P3.06	0x3036	CANOpen	Reverse internal torque limit	—	%	0	400	200	NOREBO OT

P4.07	0x3044	CANOpen	Save the torque when enabled	Save the torque when disable	—	0	9999	0	NOREBO OT
P4.08	0x3045	CANOpen	Enable torque function under masking and saving	The function to disable and save the enable torque can effectively solve the problem of the robotic arm falling off after being enabled.	—	0	9999	0	NOREBO OT
P4.18	0x3055	CANOpen & EtherCAT	Servo On Waiting Time	These parameters are only effective when the port output parameters are configured to have /BK output. These parameters control the timing of the holding brake (to prevent gravity-induced slippage or continuous external force acting on the motor).	ms	-2000	2000	-1000	NOREBO OT
P4.19	0x3056	CANOpen & EtherCAT	Basic waiting process	—	10ms	0	500	20	NOREBO OT
P4.1A	0x3057	CANOpen & EtherCAT	Braking waiting speed	—	rpm	10	100	100	NOREBO OT
P4.1B	0x3058	CANOpen & EtherCAT	Braking waiting time	—	10ms	0	100	0	NOREBO OT
P4.1C	0x3059	CANOpen	Dynamic braking time	—	ms	50	2000	1250	NOREBO OT
P5.14	0x3070	CANOpen	Brake test	This bit is used for testing. When this parameter is set to 4, the brake is enabled [4]: the brake is released [other].	—	0	11	1	NEEDRE BOOT
P5.1B	0x3077	CANOpen	Positioning error	If the deviation counter value is less than this value, the positioning is considered to have been achieved.	puls	0	5000	100	NOREBO OT
P5.1C	0x3078	CANOpen	Same speed error	If the error between the speed command value and the speed feedback value is less than the set value of this parameter, then the speed is considered to have been reached.	rpm	0	100	10	NOREBO OT
P5.1D	0x3079	CANOpen	Rotary detection	When the motor speed exceeds this	rpm	0	3000	20	NOREBO OT

			speed	value, the motor is considered to have stabilized and is rotating.					
P6.00	0x307F	CANOpen	JPOS0 Point control position pulse (high level)	—	10000 pulses	-9999	9999	0	NOREBO OT
P6.01	0x3080	CANOpen	JPOS0 Point control position pulse (low bit)	—	puls	-9999	9999	0	NOREBO OT
P6.20	0x309F	CANOpen	JPOS0 Point Control Speed	—	rpm	0	6000	500	NOREBO OT
P6.30	0x30AF	CANOpen	JPOS0 point control filter time	—	0.1ms	0	32767	0	NOREBO OT
P6.40	0x30BF	CANOpen	JPOS0 Point Control Stop Time	—	50ms	0	300	10	NOREBO OT
P6.4F	0x30CE	CANOpen	JPOS15 Point Control Stop Time	—	50ms	0	300	10	NOREBO OT
P6.50	0x30CF	CANOpen	Choose between single-cycle and loop-based options, and select the start/reference point.	Select Single/Loop [0] Looping [1] When running a single multi-point loop, after the step change is completed at the end point, the next step change will start from the starting point; when running a multi-point single, the point control program will not perform a step change when it reaches the end point.	—	0	3	0	NOREBO OT
P6.51	0x30D0	CANOpen	Step change and start-up methods	Step change and start-up methods [0] Delayed step change, no start signal required, delayed start after S-ON [2] Delayed step change, start signal required, canceling the start signal can immediately shut down the internal pulse, and return to the program start point during restart.	—	0	3	0	NOREBO OT
P6.52	0x30D1	CANOpen	Step-change input signal mode	Step-change input signal valid mode [0] Step-change	—	0	1	0	NOREBO OT

				input signal level mode [1] Step-change input signal pulse mode					
P6.53	0x30D2	CANOpen	Programming method	Programming methods [0]: Incremental programming [1]: Absolute value programming Incremental programming: relative displacement (position from the current position to the next point) programming; Absolute value programming: absolute displacement (displacement between the worktable and the reference point) programming.	—	0	1	0	NOREBO OT
P6.54	0x30D3	CANOpen	Programming Start Steps	—	—	0	15	0	NOREBO OT
P6.55	0x30D4	CANOpen	Programming termination step	—	—	0	15	1	NOREBO OT
P6.56	0x30D5	CANOpen	Search trip speed	Under position contact control, this is the "search travel speed"; under position zeroing control, it's the "speed when finding a reference point".	rpm	0	3000	1500	NOREBO OT
P6.57	0x30D6	CANOpen	Exit limit switch speed	Under position contact control, it refers to the "speed when leaving the limit switch"; under position zeroing control, it refers to the "speed when finding the reference point".	rpm	0	200	30	NOREBO OT
P7.01	0x30D8	CANOpen	MODBUS communication baud rate	[0] 4800 [1] 9600 [2] 19200	—	0	2	1	NEEDRE BOOT
P7.04	0x30DB	CANOpen	MODBUS axis address	—	—	1	247	1	NEEDRE BOOT
P7.05	0x30DC	CANOpen	CAN synchronization time	Change according to the communication time set by the	ms	2	15000	200	NEEDRE BOOT

				controller					
P7.06	0x30DD	CANOpen	CAN communication rate	[0] 50 kbps [1] 100 kbps [2] 125 kbps [3] 250 kbps [4] 500 kbps [5] 1000 kbps	—	0	5	5	NEEDRE BOOT
P7.07	0x30DE	CANOpen	CAN communication node	—	—	1	127	1	NEEDRE BOOT
P7.14	0x30EB	CANOpen	Oscilloscope pre-trigger point setting	In the oscilloscope settings, specify the number of sampling points before the trigger condition is met.	—	0	1000	400	NOREBO OT
P9.04	0x310F	CANOpen	Over-tolerance alarm enable	[0] Out-of-tolerance alarm disabled [1] Out-of-tolerance alarm enabled, alarm when the deviation counter value is greater than the value corresponding to Pn504.	—	0	3	0	NEEDRE BOOT
P9.06	0x3111	CANOpen & EtherCAT	Encoder-related alarm masking	Encoder-related alarm masking bit [0] Detects Encoder alarms [1] Shield alarm	—	0	1	1	NEEDRE BOOT
P9.07	0x3112	CANOpen & EtherCAT	A 14 Alarm Shielding	Low voltage alarm shield bit [0] No alarm shielding [1] Shield alarm	—	0	1	0	NEEDRE BOOT
P9.08	0x3113	CANOpen & EtherCAT	A 13 alarm shielding	Overvoltage alarm (A13/A15) Shield bit [0] Unshield alarm [1] Shield alarm	—	0	1	1	NEEDRE BOOT
P9.09	0x3114	CANOpen & EtherCAT	CAN communication related alarm shielding	Communication alarm related shielding bit [0] Detects A66, A67, A68, A69 [1] Detects A68, A69, shields A66, A67 [2] Detects A66, A67, shields A68, A69 [3] Shields all CAN alarms	—	0	3	3	NEEDRE BOOT
P9.0A	0x3115	CANOpen & EtherCAT	Hardware detection alarm shielding	Hardware alarm enable bit [0]: Do not mask hardware-related alarms: A15, A13, A14 [1]: Shield hardware-related alarms: A15, A13, A14	—	0	1	0	NEEDRE BOOT
P9.0C	0x3117	CANOpen & EtherCAT	A 18 alarm shielding	CPU over-temperature	—	0	1	0	NEEDRE BOOT

				alarm masking [0] Enable A18 alarm detection [1] Shield A18 alarm detection					
P9.0D	0x3118	CANOpen & EtherCAT	A19 alarm shielding	NTC over-temperature alarm shield [0] Enable A19 alarm detection [1] Shield A19 alarm detection	—	0	1	0	NEEDRE BOOT
P9.0E	0x3119	CANOpen & EtherCAT	Overload alarm threshold	—	%	100	150	100	NOREBO OT
P9.0F	0x311A	CANOpen & EtherCAT	A18 temperature threshold	—	°C	50	180	95	NOREBO OT
PA.00	0x311B	CANOpen	Motor automatic recognition function enable position	[0] Disable automatic identification function [1] Enable automatic identification function (automatically obtain Drive Motor , EncoderType , and load servo parameters based on these Types , without reading Motor parameters from Pn parameters at this time .)	—	0	1	0	NEEDRE BOOT

CANopen Alarm Code

Servo error alarm numbers and descriptions (CANopen)				
Alarm number	Alarm Name	Alarm Description	Solutions	Shielding position
A.03	speeding	Exceeding the rated speed		
A.05	Position deviation counter overflow	Error counter overflow		
A.06	Excess overflow			P9.04=0 shielding
A.07	Electronic gear ratio setting error	The electronic gear ratio setting is unreasonable.		
A.08	U-phase current detection abnormal	U-phase current sampling voltage reference abnormal		

A.09	abnormal V-phase current detection	V-phase current sampling voltage reference abnormal		
A.10	U-phase overcurrent	Phase U is outside the sampling range		
A.11	V-phase overcurrent	Phase V is outside the sampling range.		
A.12	Overcurrent	IPM module current is too high		
A.13	Overvoltage warning	Bus voltage > 55V		P9.08=1 can be shielded
A.14	undervoltage	Bus voltage <40V		P9.08=1 can be shielded
A.15	Overvoltage alarm	Bus voltage > 80V		P9.08=1 can be shielded
A.18	Motor overheat alarm	The MCU temperature is too high, exceeding the value of parameter P9.0F.		P9.0C=1 can be shielded
A.46	EncoderMulti-turn position error	Magnetic ring displacement		P9.06=1 can be shielded
A.47	Encoder low battery alarm	Encoder battery voltage <3.05V		P9.06=1 can be shielded
A.48	Encoder Low Battery Warning	Encoder battery voltage <3.15V		P9.06=1 can be shielded
A.49	First (Motor-side) Encoder exception	EncoderSPI communication timeout	Confirm whether SW1 is ON	
A.50	Second (reducer end) Encoder exception	EncoderSPI communication timeout	Confirm whether SW1 is ON	
A.54	Encoder verification configuration error	Data configuration bit width error	Re-verify Encoder	
A.66	CAN communication error	CAN communication errors caused by connection abnormalities or interference	P9.09=0, 2 can be enabled	P9.09=3 can be shielded
A.67	Heart rate timeout		P9.09=0, 2 can be enabled	P9.09=3 can be shielded
A.68	Synchronization frames too early		P9.09=0, 1 can be enabled	P9.09=3 can be shielded
A.69	Synchronization frame timeout		P9.09=0, 1 can be enabled	P9.09=3 can be shielded
A.133	Firmware incompatibility	MotorType and DriveType do not match		

EtherCAT Alarm Code

Servo error alarm numbers and descriptions (EtherCAT)				
Alarm number	Alarm Name	Possible reasons	Solutions	Shielding position
A.01	Parameter error	Storage application parameter error		

A.03	speeding	Exceeding the rated speed		
A.04	Overload or Stalling	Stalling		P3.08-0 can be shielding
A.05	Position deviation counter overflow	Error counter overflow		
A.06	Excess overflow			P9.04-0 can be shielding
A.07	Electronic gear ratio setting error	The electronic gear ratio setting is unreasonable.		
A.08	U-phase current detection abnormal	U-phase current sampling voltage reference abnormal		
A.09	abnormal V-phase current detection	V-phase current sampling voltage reference abnormal		
A.10	U-phase overcurrent	Phase U is outside the sampling range		
A.11	V-phase overcurrent	Phase V is outside the sampling range.		
A.12	Hardware overcurrent	IPM module current is too high		
A.13	Overvoltage warning	Bus voltage > 55V		P9.08-1 can be shielded
A.14	undervoltage	Bus voltage <40V		P9.08-1 can be shielded
A.15	Overvoltage alarm	Bus voltage > 80V		P9.08-1 can be shielded
A.18	Motor overheat alarm	The MCU temperature exceeds the value of parameter P9.0F.		P9.0C-1 can be shielded
A.19	NIC overheating	NTC temperature exceeds 85 degrees Celsius		P9.0D-1 can be shielded
A.46	EncoderMulti-turn position error	Magnetic ring displacement		P9.09-3 can be shielded
A.47	Encoder low battery alarm	Encoder battery voltage <3.05V		P9.09-3 can be shielded
A.48	Encoder Low Battery Warning	Encoder battery voltage <3.15V		P9.09-3 can be shielded
A.49	First (Motor-side) Encoder exception	EncoderSPI communication timeout	Confirm whether SW1 is ON	
A.50	Second (reducer end) Encoder exception	EncoderSPI communication timeout	Confirm whether SW1 is ON	
A.54	Encoder Calibration Configuration Abnormality	Data configuration bit width error	Re-verify Encoder	
A.56	Encoder Communication Abnormality			Restart
A.67	DC synchronization error			

A.68	Synchronization event timeout			
A.133	Firmware incompatibility	Motor Type and Drive Type do not match		

Appendix 3 Battery Safety Precautions

1. Do not place batteries arbitrarily to avoid short circuits.
2. Do not heat batteries or expose them to temperatures above 85°C.
3. Do not attempt to charge the batteries.
4. Do not disassemble or dissect the batteries.
5. Do not reverse the battery polarity.
6. Do not solder directly onto the battery surface or expose it to high-temperature objects.
7. Do not perform compression, impact, or other environmental/safety tests without proper protection.
8. Do not immerse batteries in water, or use/store them unprotected in humid environments.
9. If the battery becomes hot, emits odor, changes color, deforms, or shows any other abnormality during use or storage, stop using it immediately.
10. Dispose of batteries according to local environmental regulations; do not bury them underground or soak them in saltwater.
11. If battery liquid comes into contact with skin, eyes, or clothing, rinse immediately with plenty of water and seek medical attention.
12. Keep batteries away from static environments during use and storage.
13. Store batteries away from heat sources, corrosive gases, and direct sunlight; ensure storage areas are clean, cool, dry, and well-ventilated.
14. During transport, avoid exposure to sunlight, fire, rain, or water, and keep batteries away from corrosive substances.
15. Minimize impacts and vibrations during handling and transport.
16. For long-distance transportation by ship, keep batteries away from engines; in summer, avoid storing them for long periods in non-ventilated areas.

Appendix 4 Frequently Asked Questions (FAQ)

Q: What is the difference between T-type and I-type low-voltage modules?

A: The difference lies in their appearance and installation method.

Q: What is the acceptable power supply range for low-voltage modules?

A: $48V \pm 10\%$ (43.2–52.8V)

Q: How can parameters of low-voltage modules be modified?

A: First, connect the module's 485 communication port to a PC via a 485-USB converter. Then, use the CMD Athena PC software to upload the parameter table and modify the corresponding parameters.

Q: Does the encoder currently support embedding into the control board?

A: No, it is not supported at present.

Q: Do low-voltage joint modules support 24V, or can a custom 24V version be provided?

A: Currently, 24V supply is not supported. A transformer or other method can be used to step up the voltage to 48V for use.

Q: Can dual encoders retain single-turn values without power and without a battery?

A: The single-turn encoder is absolute, so it will not lose its single-turn position without a battery. However, since the encoder is mounted on the motor side, the motor's single-turn movement corresponds to a very small range at the output. It is recommended to use a battery to store multi-turn positions.

Q: How can the firmware software and user manual be obtained?

A: They can be downloaded from the official website: www.laifualdrive.com

Chapter 13 Document Revision Record

Document Revision Record

Revision Previous Version	Page No.	Chapter	Revision Summary	Revision Date
V1.00	Total Pages: 70	Total Chapters: 11	First Edition	2025/05/06
V1.01	Total Pages: 75	Total Chapters: 12	Added Upper Computer Parameter Table and Error Code Table Added Key Parameter Confirmation Table	2025/08/01
V1.02	Total Pages: 75	Total Chapters: 12	Format Revision	2025/09/28
V1.03	Total Pages: 80	Total Chapters: 12	Added Discharge Module Selection, Connection, Electrical Interface and Instructions	2025/10/20
V1.04	Total Pages: 83	Total Chapters: 12	Revised Upper Computer Operation Process for Key Parameters	2025/10/22
V1.05	Total Pages: 112	Total Chapters: 13	Added Multi-Joint Connection Configuration, Brake, Encoder	2025/11/13

			Description, Rigidity, and Common Problems QA	
V1.06	Total Pages: 112	Total Chapters: 13	Added Alarm Codes	2025/12/8
V1.07	Total Pages: 113	Total Chapters: 13	Selection and Connection of Additional Discharging Module	2026/1/28



Vist Laifual Website



Download Files



Follow Us via
Linkedin

Contact Us

Head Quarter& Factory:

Email: info@laifualdrive.com

Phone/WhatsApp: +86-13632529084

Address: Laifual Drive industrial park, No. 588, Zhenxing Road,
Shengzhou City, Shaoxing City, Zhejiang Province